

# **Bondit**



## **PRODUCT CATALOGUE**

# Bondit



[bondit.com.tr](http://bondit.com.tr)



# Bondit



[www.bondit.com.tr](http://www.bondit.com.tr)






**MASKING TAPE**

**60°C**




» Heat and water resistant up to 60 °C, used in construction, cable wrapping, package insulation, marking and general paint masking.

CODE	FEATURES	
BMA1225	12 mm x 25 mt.	144
BMA1825	18 mm x 25 mt.	96
BMA2425	24 mm x 25 mt.	72
BMA3625	36 mm x 25 mt.	48
BMA4825	48 mm x 25 mt.	36




**LEAVES NO TRACE,  
EASY TO REMOVE**


**MASKING TAPE**




» LEAVES NO TRACE, EASY TO REMOVE  
» FLEXIBLE

CODE	FEATURES	
BNM1825	18 mm x 25 mt.	96
BNM2425	24 mm x 25 mt.	72
BNM3625	36 mm x 25 mt.	48
BNM4825	48 mm x 25 mt.	36

**MASKING TAPE**



» LEAVES NO TRACE, EASY TO REMOVE  
» FLEXIBLE

CODE	FEATURES	
BNM182	18 mm x 20 yds.	192
BNM242	24 mm x 20 yds.	36
BNM362	36 mm x 20 yds.	96
BNM482	48 mm x 20 yds.	72



## DUCT TAPE

## ORIENT



SPECIAL FOR  
**SPECIAL OFFER**  
THE LAUNCHING




### »» HIGH ADHESION

»» It provides high adhesion and protection performance for transportation and storage in all weather conditions.

It adheres perfectly to smooth and textured surfaces on materials such as cardboard and boxes.

CODE	FEATURES	
BNO45100Y	45 mm x 100 Yard Transparent	72

## DOUBLE SIDED TRANSPARENT FILM TAPE



- »» **TRANSPARENT**
- »» QUICK APPLICATION
- »» HIGH RESISTANCE TO WATER AND MOISTURE
- »» HIGH TEMPERATURE RESISTANCE
- »» LEAVES NO TRACES AND RESIDUES

CODE	FEATURES	
BNS1225	12 mm x 25 mt.	90
BNS1425	14 mm x 25 mt.	78
BNS1825	18 mm x 25 mt.	60
BNS2425	24 mm x 25 mt.	48
BNS3625	36 mm x 25 mt.	30
BNS4825	48 mm x 25 mt.	24

## FURRY FABRIC TAPE

**NEW PRODUCT**





- »» **PREVENTS IGNITION**
- »» It adheres very well to difficult surfaces and can be removed quickly and cleanly after use. It is especially preferred in automotive, sound and music systems, LPG conversion processes.

CODE	FEATURES	
BND01099506	18 mm x 9.14 mt. With Box	72
BND01099507	18 mm x 9.14 mt. Without Box	192



### DOUBLE SIDED ACRYLIC TAPE



CODE	FEATURES	
BNV1802	18mm x 2 mt.	84
BNV2402	24mm x 2 mt.	72
BNV1005	10mm x 5 mt.	100
BNV1505	15mm x 5 mt.	70
BNV2005	20mm x 5 mt.	60
BNV2405	24mm x 5 mt.	44
BNV3005	30mm x 5 mt.	40
BNV4005	40mm x 5 mt.	30
BNV5005	50mm x 5 mt.	24

- » **EXTRA STRONG**  
STRONG ADHESION,  
HIGH CARRYING STRENGTH
- » **QUICK APPLICATION**
- » **STRONG ADHESION**
- » **PRACTICAL SOLUTION**
- » **LONG LASTING USE**


### DOUBLE SIDED ACRYLIC TAPE

**NEW  
PRODUCT**



» **EXTRA STRONG**  
STRONG ADHESION,  
HIGH CARRYING STRENGTH

- » \* Easy to apply, does not require expertise.
- \* The tape does not leave any adhesive marks when removing it thanks to its cloth structure.
- \* Adheres easily to surfaces such as laminate flooring, PVC, tiles, ceramics.
- \* It is long lasting.

CODE	FEATURES	
BNO1802	18mm x 2 mt.	288
BNO2402	24mm x 2 mt.	216


### STRIP LED ADHESIVE TAPE

**NEW  
PRODUCT**



» **EXTRA STRONG**  
STRONG ADHESION,  
HIGH CARRYING STRENGTH

- » \* Easy to apply, does not require expertise.
- \* The tape does not leave any adhesive marks when removing it thanks to its cloth structure.
- \* Adheres easily to surfaces such as laminate flooring, PVC, tiles, ceramics.
- \* It is long lasting.

CODE	FEATURES	
BND01010610	10mm x 6mt.	72



## DOUBLE SIDED MOUNTING TAPE

**1** CARRIES 1KG WITH 10CM TAPE  
KG




It is a PE foam based, very strong acrylic adhesive tape, suitable for indoor and outdoor use, resistant to water and weather conditions, high durability used for fixing many materials such as metal, glass, plastic, wood, etc.

CODE	FEATURES	
BNMD2030	20 mm x 3 mt.	56

## DOUBLE SIDED MOUNTING TAPE

**2** CARRIES 2KG WITH 10CM TAPE  
KG




Bondit extra strong acrylic foam based transparent double sided mounting tape. Ideal for applications that require clear tape, such as glass, clear plastic. It is resistant to high temperature and UV. It has superior sealing and adhesion strength. Thanks to its highly resistant structure against humidity, it can be used safely in the assembly of humid and wet environment accessories such as bathrooms and kitchens.

CODE	FEATURES	
BNMD2015	20 mm x 1.5 mt.	120

## DOUBLE SIDED MOUNTING TAPE

**3** CARRIES 3KG WITH 10CM TAPE  
KG



Acrylic foam based, very strong acrylic adhesive tape, suitable for indoor and outdoor use, resistant to water and weather conditions, metal, glass, plastic, wood, etc. It is an assembly and fixing tape with high durability used for fixing many based materials. Thanks to its highly resistant structure against humidity, it can be used safely in the assembly of humid and wet environment accessories such as bathrooms and kitchens.

CODE	FEATURES	
BNMD2520	25 mm x 2 mt.	120




## DOUBLE SIDED EVA FOAM TAPE


**Bondit**

» **EXTRA STRONG**  
STRONG ADHESION,  
HIGH CARRYING STRENGTH



» Strong Adhesive Feature  
Super Durable  
All Weather Resistant  
Practical Application  
Quickly Takes The Desired Shape  
Thanks to Its Elastic Structure

CODE	FEATURES	
BNF10	10 mm x 10 mt.	270
BNF15	15 mm x 10 mt.	180
BNF20	20 mm x 10 mt.	135
BNF25	25 mm x 10 mt.	108
BNF30	30 mm x 10 mt.	90
BNF40	40 mm x 10 mt.	72
BNF50	50 mm x 10 mt.	54



## DOUBLE SIDED EVA FOAM TAPE


**NEW PRODUCT**

**ORIENT**

» **EXTRA STRONG**  
STRONG ADHESION,  
HIGH CARRYING STRENGTH



» Strong Adhesive Feature  
Super Durable  
All Weather Resistant  
Practical Application  
Quickly Takes The Desired Shape  
Thanks to Its Elastic Structure

CODE	FEATURES	
BNO10	10 mm x 10 mt.	270
BNO15	15 mm x 10 mt.	180
BNO20	20 mm x 10 mt.	135
BNO25	25 mm x 10 mt.	108






## DOUBLE SIDED FOAM TAPE

### » EXTRA STRONG STRONG ADHESION, HIGH CARRYING STRENGTH

- » Strong Adhesive Feature
- Super Durable
- All Weather Resistant
- Practical Application
- Quickly Takes The Desired Shape
- Thanks to Its Elastic Structure




CODE	FEATURES	
BND1802	18 mm x 2 mt.	288/24
BND2402	24 mm x 2 mt.	216/18

## DOUBLE SIDED HAVANA FOAM TAPE

### » INDUSTRIAL ELECTRICAL, FURNITURE, AUTOMOTIVE, MANY INDUSTRIAL USAGE AREAS SUCH AS MEDICAL

- » QUICK APPLICATION
- » STRONG ADHESION
- » PRACTICAL SOLUTION



CODE	FEATURES	
BND1825	18 mm x 25 mt.	32
BND2425	24 mm x 25 mt.	24
BND3625	36 mm x 25 mt.	16
BND4825	48 mm x 25 mt.	12



**CARPET TAPE**



- » ANTI-SLIP
- » EASY TO TEAR
- » LEAVES NO TRACE
- » It is an ideal solution to prevent the carpets from slipping and to prevent the carpet end from being fixed in areas such as home, workplace, fair etc.

- \* Easy to apply, does not require expertise.
- \* The tape does not leave any adhesive marks when removing it thanks to its cloth structure.
- \* Adheres easily to surfaces such as laminate flooring, PVC, tiles, ceramics.
- \* It is long lasting.



CODE	FEATURES	
BND01040550	50 mm x 5 mt.	50

**ALUMINUM TAPE**



- » Solvent acrylic based adhesive
- » Thanks to its reinforcement, it shows high resistance against tension from all directions.
- » It is suitable for use in the insulation of high pressure metal alloy ventilation ducts.

CODE	FEATURES	
BNAL4805	48 mm x 5 mt. Reinforced	60
BNAL4810	48 mm x 10 mt. Reinforced	60
BNAL4815	48 mm x 15 mt. Reinforced	60
BNAL4825	48 mm x 25 mt. Reinforced	60

BNAL7205	72 mm x 5 mt. Reinforced	36
BNAL7210	72 mm x 10 mt. Reinforced	36
BNAL7215	72 mm x 15 mt. Reinforced	36
BNAL7225	72 mm x 25 mt. Reinforced	36
BNAL9625	96mm x 25mt. Reinforced	36

**ALUMINUM TAPE**



- » Solvent acrylic based adhesive
- » It is suitable for use in the insulation of high pressure metal alloy ventilation ducts.
- » It is used in insulation areas where high moisture proofing is required.

CODE	FEATURES	
BNA4505	45 mm x 5 mt.	120
BNA4510	45 mm x 10 mt.	120
BNA4515	45 mm x 15 mt.	96
BNA4520	45 mm x 20 mt.	96
BNA4525	45 mm x 25 mt.	60

BNA7205	72 mm x 5 mt.	36
BNA7210	72 mm x 10 mt.	36
BNA7215	72 mm x 15 mt.	36
BNA7225	72 mm x 25 mt.	36
BNA9625	96mm x 25mt.	24



## LADDER ANTI-SLIP TAPE




- » HIGH ADHESIVE STRENGTH
- » Highly Resistant to Water, Oil, Grease, UV Rays and Cleaning Materials
- » You can easily stick non-slip tapes on surfaces such as marble, granite, ceramic, porcelain, ceramic and concrete.
- » It is produced in accordance with the Occupational Safety Regulation.



CODE	FEATURES	
BNMK2505	<b>Black</b> , 25mm x 5mt.	42
BNMK2510	<b>Black</b> , 25mm x 10mt.	30
BNMK2515	<b>Black</b> , 25mm x 15mt.	24
BNMK5005	<b>Black</b> , 50mm x 5mt.	21
BNMK5010	<b>Black</b> , 50mm x 10mt.	15
BNMK5015	<b>Black</b> , 50mm x 15mt.	12
BNMK2515T	<b>Transparent</b> , 25mm x 15mt.	24
BNMK5015T	<b>Transparent</b> , 50mm x 15mt.	12
BNMK2515S	<b>Yellow-Black</b> , 25mm x 15mt.	24
BNMK5015S	<b>Yellow-Black</b> , 50mm x 15mt.	12
BNMK2515F	<b>Reflective</b> , 25mm x 15mt.	24
BNMK5015F	<b>Reflective</b> , 50mm x 15mt.	12



## WET FLOOR NON-SLIP TAPE



- » Floor Anti-Slip Tape sticks easily with its non-skillful application. It is durable and long-lasting against detergents, shampoos and other cleaners. It does not form mold and fungus. It prevents injuries by falling on all wet floors, bathrooms, bathtubs and shower cabins, pool sides, gyms.



CODE	FEATURES	
BND01031920	50 mm x 5 mt.	100

## NUMBER PLATE TAPE



- » **No drilling and screwing.**  
The belt is not affected by external conditions such as pressurized water, rain, mud, humidity, humidity, high heat or cold. You can use it safely.

First, clean and dry the surface and plate on which you will apply the plate. After sticking the plate, continue to apply pressure with your hand for a while. The tape sticks instantly, you don't need to wait for it to dry.



CODE	FEATURES	
BND01069530	95 mm x 30 mm	100



## CAULK STRIP TAPE



» It has excellent adhesion, superior grip and impermeability.

It is self-adhesive, does not change color, is waterproof, does not form mold and fungus. It is soft and easy to apply.

CODE	FEATURES	
BND01050322	22mm x 3.35mt x 1.2mm	36
BND01050338	38mm x 3.35mt, 1.1mm	24



## CAULK STRIP TAPE



» STRONG ADHESIVE, ULTRA DURABLE AND LONG LASTING

It is used for sealing in bathrooms, shower cabins, bathtubs, sinks and kitchen. Does not tarnish, always stays clean. It is resistant to cleaning materials.



Blister Packed

CODE	FEATURES	
BND33522	22mm x 3.35mt x 1.2mm	60
BND33538	38mm x 3.35mt, 1.1mm	40





## ROOF INSULATION AND REPAIR TAPE



» Waterproof and high temperature resistant and wear resistant made up of layers.


Its strong structure maintains its flexibility and stickiness against deformation.

Suitable for roof leaks, awnings, gutters, outdoor equipment, mobile homes, PVC and plumbing pipes, joints, vents, air

CODE	FEATURES	
BND205	50MM X 2M	96
BND207	70MM X 2M	48
BND210	100MM X 2M	48

## FLEX TAPE (ULTRA LONG LASTING)

**Bondit**




It is ultra durable, has very strong adhesion, has a waterproof structure. It creates a barrier that instantly blocks water, air and moisture.

CODE	FEATURES	
BND10150	100MM X 1.5M	100

## FLEX TAPE (ULTRA LONG LASTING)

**LINEX**

**NEW PRODUCT**



It is a super strong, rubber-coated, waterproof tape that can patch, adhere, and repair most surfaces. It can be applied in hot or cold environments, on dry or wet surfaces.

CODE	FEATURES	
LNK10150	100MM X 1.5M	57



## WATER RESISTANT PATCH TAPE



» It is used for patching materials such as Roof, Warehouse, Metal, Wood, Ceramic, Fiberglass, Concrete, Eternit, Glass, Acrylic, Pipe.

The biggest feature of this tape, which is also sold as a mud tape, is its strong adhesion. It instantly adheres to the places where sealing is required, preventing leakage. It does not require mastery, it is very easy to apply. It provides strong adhesion thanks to its very strong adhesive.



CODE	FEATURES	
BND01021015	10x15cm	100



## GENERAL PURPOSE BRAIDED DUCT TAPE



CODE	FEATURES	
BNC191	48mm x 10mt. <b>Grey</b>	96
BNC192	48 mm x 10 mt. <b>Black</b>	96
BNC194	48 mm x 40 mt. <b>Grey</b>	48
BNC195	48 mm x 40 mt. <b>Black</b>	48
BNC196	48 mm x 10 mt. <b>Red</b>	96
BNC197	48 mm x 10 mt. <b>Yellow</b>	96
BNC198	48 mm x 10 mt. <b>Green</b>	96
BNC199	48 mm x 10 mt. <b>Blue</b>	96
BNC200	48 mm x 10 mt. <b>Blue</b>	96

### » HIGH ADHESION AND INSULATION

- » Bondit Repair and isolation tapes are suitable for joining different materials, marking and strengthening. Easy to tear.
- » It is resistant to outdoor weather conditions and UV. It is PE based. Does not contain solvent.
- » It should be laminated to the surface to be applied with a single move.
- » With its easy adhesion to any surface, it is ideal for crafts, repair, fixing, packaging, reinforcement, marking and many more applications.







## SAFETY WARNING TAPE, STRIPED




- » It is used indoors and outdoors for orientation, security and attention.
- » It is strong and durable. It is vibrant and brightly colored.

CODE	FEATURES	
BNU301E	50 mm x 110 mt	24
BNU305E	50 mm x 250 mt	12


## FLOOR MARKING TAPE




- » It is extremely durable. It is easy to apply and remove.
- » It has high strength, withstands to forklift traffic without tearing or wearing out.
- » The tape can be removed without damaging the floor and leaving no residue. To mark corridors, passages, storage places, put safety equipment, etc. used

CODE	FEATURES	
BNY5025	Yellow - Black	24
BNY5025K	Red - White	24
BNY5025R	Red	24


## THREAD SEAL TAPE




- » **SUITABLE FOR DRINKING WATER LINES**
- » It is used for air and water sealing in all kinds of installation works.

CODE	FEATURES	
BNT10	12MM x 7M, 20gr	1000
BNT10G	12MM x 8M, 20gr	1000
BNT20	19MM x 30M, 25gr	400

## GREENHOUSE TAPE



- » **It has high adhesive strength.** It leaves no trace after removal. It maintains its durability for a long time. It does not affected by water and rain. It is also perfectly resistant to UV rays.

CODE	FEATURES	
BNS5025	50mm 25 mt.	36
BNS7525	75mm 25 mt.	24
BNS10025	100mm 25 mt.	18
BNS15025	150mm 25 mt.	12
BNS20025	200mm 25 mt.	9



**HANGER TAPE (PRACTICAL ATTACHMENT)**



Practical Attach-and-Remove Hanging Tape provides a much stronger hold than any adhesive hanger thanks to its removable hanger system and wide adhesion surface. It is an alternative to nails and screws thanks to its high adhesion strength.

CODE	FEATURES	
BND01089505	60x60 HANGER TYPE	48

**MOUNTING TAPE (PRE-CUT)**



It has high temperature and UV resistance. It is an alternative to nails and screws thanks to its high adhesion strength. It can be used for mounting bathroom and kitchen accessories, sockets, tables, frames and car accessories. It can be removed from surfaces such as metal, plastic, tiles, glass without leaving any traces. It is resistant to water, humidity and steam.

CODE	FEATURES	
BND01079502	30x26MM PRE-CUT	12/48

**PICTURE-FRAME HANGING STRIP**



**CARRIES 6KG, STRONG, ADHESIVE, REMOVES WITHOUT MARKS**

It allows you to easily apply decoration elements that will add a different atmosphere to your home, such as pictures, posters, frames, on the walls without the need to drive nails and drill holes.



CODE	FEATURES	
BNDF1964	Carrying up to 6 kg, Set of 4, Velcro type	24/288

**FURNITURE FELT (ROUND-SQUARE)**

**NEW PRODUCT**



The floor protector furniture felt is adhered to the feet of your furniture, such as tables, armchairs, chairs, coffee tables, and prevents scratches and noise caused by friction. Thanks to its strong adhesive, it does not come off from where it is attached and is long-lasting.



CODE	FEATURES	
BND01099520	20mm, 60 Pieces, Black, Oval	48
BND01099525	25mm, 40 Pieces, Brown, Square	48



## FLY SCREEN NET FOR WINDOW (INCLUDING VELCRO TAPE)

**NEW  
PRODUCT**



**INCLUDES 4M VELCRO TAPE**

- » DOES NOT ALLOW FLY, INSECT AND PEST ENTRY.
- » CAN BE WASHED AND RE-USED
- » CAN BE MOUNTED EASILY, PROVIDES PRACTICAL SOLUTION.



CODE	FEATURES	
BND01075125	75x125cm	24

## DOUBLE SIDED CLOTHES TAPE

**NEW  
PRODUCT**



- » SUITABLE FOR SENSITIVE SKIN
- » HYPOALLERGENIC
- » EASY TO USE; REMOVE THE PROTECTIVE FILM, STICK AND FIX



CODE	FEATURES	
BND01002515	25x75mm	24/100

## WATER STOP BARRIER (DOOR SILL)

**NEW  
PRODUCT**



- » SELF-ADHESIVE AND PROVIDES EASE OF APPLICATION
- » PREVENTS WATER TRANSITION TO UNWANTED PLACES
- » WON'T LEAVE TRACES, DEFORM, OR MOLD WHEN DISASSEMBLED



CODE	FEATURES	
BND01010015	15mm x 1mt	24

## WATER STOP BARRIER

**NEW  
PRODUCT**



- » SELF-ADHESIVE AND PROVIDES EASE OF APPLICATION
- » PREVENTS WATER TRANSITION TO UNWANTED PLACES
- » WON'T LEAVE TRACES, DEFORM, OR MOLD WHEN DISASSEMBLED




CODE	FEATURES	
BND01020015	15mm x 2mt	20



## SELF ADHESIVE BRUSH BOTTOM DOOR SEAL


**NEW  
PRODUCT**



### »» PREVENT AIR FLOW AND DUST

Provides energy saving, self-adhesive, resizable.


CODE	FEATURES	
BND01010037B	100 x 3.7cm White	72
BND01010037K	100 x 3.7cm Brown	72



## WEATHER STRIPPING TAPE

»» Bondit Weather Stripping Tape, which provides insulation on doors and windows thanks to its flexible structure, prevents wind, dust and pests from entering the environment.

Thanks to its PVC structure, it provides strong adhesion. It is easy to apply. It is self adhesive. It can be easily applied to glass, wood, steel, aluminum, PVC doors and windows.



CODE	FEATURES	
BND01016025	60mm x 2.5mt, Transparent	50



## PIPE REPAIR AND ELECTRIC INSULATION TAPE



- » It is resistant to moisture, rust, abrasion, rot, acid and alkali. It has a protection effect against all weather conditions.
- » It is used for heat and sound insulation in the assembly of polyurethane rubber pipes and sheets.

CODE	FEATURES	
BN4825	48mm x 25 Yard, Black	72
BN4825G	48mm x 25 Yard, Grey	72

## ELECTRIC INSULATION TAPE

0.15 mm x 19 mm x 10 yds.



Pack of  
**10**




- » **HIGH ADHESIVE STRENGTH**
- » It is used in the insulation of electrical cables and similar products.
- » It is durable up to 600 Volts and 80°C.
- » Does not break during winding.

CODE	FEATURES	
BN11M	10 Yard, Mixed Colors	10/200
BN11B	10 Yard, Black	10/200
BN11W	10 Yard, White	10/200

## SELF AMALGAMATING RUBBER TAPE

**NEW  
PRODUCT**




- » Fusible tape is a type of tape used in A.G (220-330 volt) .O.G (34.5kv) and Y.G (154 kv) chemically forming a whole sheath, which is used to keep the insulation material on the conductor used by electricians.

It is a self-integrating band type that can be used in satellite antenna systems and LNBS.

CODE	FEATURES	
BNS19	19MM*0,76MM*8M	100
BNS50	50MM*0,76MM*8M	100

## DRYWALL JOINT TAPE



- » Made of high quality fiberglass mesh. It is a self-adhesive fiberglass tape used in the construction of plasterboard, partition walls, cladding walls and suspended ceiling systems, and in plasterboard joints.

CODE	FEATURES	
BNL4890	48 mm x 90Y	24
BNL48100	48 mm x 100Y	24
BNL90100	90 mm x 100Y	18



# WEATHERSTRIP RUBBER TAPE

» **STRONG ADHESION**  
 LONG LASTING USE  
 HIGH QUALITY RUBBER



» Self Adhesive.  
 D type rubber tape for door and window. It is used as a double strip for the door, as a single strip for windows.

It provides insulation in cold weather and keeps your home warm. The air is moisture-proof.


» After completing the installation, apply firm pressure to ensure that the adhesive on the underside of the tape is firmly attached. If the temperature in the application area is below 10°C, you can heat the tape part with a hair dryer and then stick it on the floor. Avoid rubbing or rubbing the tape for 24 hours after application. Oily floors, moldy and rusty floors, dusty floors are not recommended for application. The application area must be clean.



RESISTANT TO HIGH-LOW TEMPERATURE



RAINPROOF



## ORIENT

2 x 3 M

CODE	FEATURES	
BNO11	White, D Profile	100
BNO12	Brown, D Profile	100

## LINEX

2 x 50 M

CODE	FEATURES	
BNL01	White, D Profile	9 Rolls
BNL02	Brown, D Profile	9 Rolls



## PROTECTIVE FLOOR COVER, THICK


» It protects the floor during your renovation, cleaning and painting works.

It is waterproof, dustproof and non-slip plastic coated.

Made of 100% polyethylene, it is colourless, odorless and recyclable.

It is practical to use.



CODE	FEATURES	
DB0405K	Floor Cover Thick 4x5 = 20m <sup>2</sup>	20
DB0408K	Floor Cover Thick 4x7.5 = 30m <sup>2</sup>	20
DB4125K	Floor Cover Thick 4x12.5 = 50m <sup>2</sup>	20



## PROTECTION SHEET


» It protects your furnitures and belongings during the renovation, cleaning and painting works.

It is waterproof, dustproof and non-slip plastic coated.


Made of 100% polyethylene, it is colourless, odorless and recyclable.

It is practical to use.



CODE	FEATURES	
DB0405	Protection Sheet 4x5 = 20m <sup>2</sup>	25
DB0408	Protection Sheet 4x7.5 = 30m <sup>2</sup>	25
DB4125	Protection Sheet 4x12.5 = 50m <sup>2</sup>	25









**AKDEMİR GLOBAL DIŐ TİCARET A.Ő.**

📍 Mahmutbey Mah. İstoç Ticaret Merkezi 2416. Sok.  
AKTEM PLAZA Kat 12-13 Bağcılar - İstanbul / TÜRKİYE

☎ 0212 771 04 66 📞 0212 659 09 41

🌐 [akdemirglobal.com](http://akdemirglobal.com) 📧 [info@akdemirglobal.com](mailto:info@akdemirglobal.com)

📱 [akdemirglobal](#)