



RODEX

PRODUCT CATALOGUE

 rodexpower.com

   **RODEXTOOLS**




RODEX

Rodex Power is the international brand specialized in different kinds of tools including power tools, air tools, wood working tools, metal working tools, cutting tools, industrial tools, garden tools, agriculture tools, and accessories for over 20 years with the premium quality collection of the tools which make Rodex Power as the unique tools brand in the world on the basis of Variety and Quality.

For Rodex Power , quality means products that are designed to provide more benefits and comfort to professional users; improved productivity and efficiency, time saving, reduced effort and simplicity of operation.

Rodex Power continues to invest its resources in advanced R&D, High – end technologies and compatible human resources, to develop more efficient Tools with high variety that meet the tomorrow's needs of the users.

Rodex Power tries to get the satisfaction of all users by providing Premium Quality products and services in the field of power tools, air tools, wood working tools, metal working tools, cutting tools, industrial tools, garden tools, agriculture tools... and also providing an appropriate combination of price, quality, satisfying services and fast delivery.




INDEX OF PRODUCTS

**RED X
POWER**

ONE BATTERY FOR ALL TOOLS.

In the ONE FOR ALL 20V system, a single battery works for all tools. Simply insert the 20V ONE FOR ALL battery into the tool and you can start using it immediately. Thanks to the exchangeable battery, the running time is extended with just one movement. It couldn't be simpler or more flexible.

4-16




CORDLESS DRILLS
CORDLESS SCREWDRIVERS

18-20




ELECTRIC DRILLS

22




IMPACT DRILLS
HAMMER DRILLS
BENCH DRILLS
IMPACT WRENCH
CORE DRILLING MACHINES

23-27



ANGLE GRINDERS
MINI GRINDERS
POLISHERS
CUT OFF MACHINE

29-33



BENCH GRINDERS

34-35






TABLE SAW
MITRE SAWS
CIRCULAR SAWS
MARBLE CUTTER
RECIPROCATING SAW
WALL CHASER
JIG SAW

37-41




ELECTRIC PLANERS
SANDERS
ELECTRIC ROUTERS
HAND MIXERS
PAINT SPRAY GUN

42-44



CONCRETE VIBRATORS
FLEXIBLE SHAFTS FOR VIBRATORS

45



INDUSTRIAL VACUUM CLEANERS

46-47




ELECTRIC AIR HEATERS
GAS FORCED HEATERS
DIESEL FORCED HEATERS
HOT AIR GUNS
AIR BLOWERS

49-53


RODEX

INDEX OF PRODUCTS




ELECTRIC CHAIN HOISTS

54-55




BATTERY CHARGERS
INVERTER DC WELDING MACHINES
DC MIG-MMA INVERTER WELDING MACHINES
INVERTER PLASMA CUTTING MACHINES

57-61




AIR COMPRESSORS
AIR IMPACT WRENCH
AIR NAIL GUNS
AIR STAPLER GUNS

63-65




GASOLINE GENERATORS
DIESEL GENERATORS

66-69




GASOLINE TILLER
DIESEL TILLER
GASOLINE GROUND DRILL

70-72




HIGH PRESSURE WASHERS

74-76




GASOLINE WATER PUMPS
DIESEL WATER PUMPS

78-79



SUBMERSIBLE PUMPS
SURFACE TYPE WATER PUMPS
CIRCULATION PUMP
PUMP REGULATORS
DEEP WELL PUMPS
JET PUMPS WITH PRESSURE TANK

80-89




GASOLINE CHAIN SAWS
ELECTRIC CHAIN SAWS

90-91




ELECTRIC LAWN MOWERS
GASOLINE LAWN MOWERS

92-93




SHEEP CLIPERS

94




CORDLESS PUMP SPRAYERS
GASOLINE PUMP SPRAYERS
GASOLINE HEDGE TRIMMER
ELECTRIC HEDGE TRIMMER

95-98



GASOLINE GRASS TRIMMER
ELECTRIC GRASS TRIMMER

99-102



TRIMMER LINE, BLADE, SAWS, HEADS
SAFETY HELMET, GEAR HEAD,
OPERATING HANDLE

103-104

RODEX

RED X POWER

BRUSHLESS MOTOR TECHNOLOGY

- | MORE EFFICIENT WORK WITH BRUSHLESS ENERGY.
- | MORE POWER & LONGER RUNNING TIMES
- | LONGER SERVICE LIFE & COMPACT DESIGN



BRUSHLESS MOTOR

30%
More Power


50%
More
Performance



Brushless Motor / Screwdriver



Brushed Motor / Screwdriver



LITHIUM-ION Technology

HIGH-PERFORMANCE,
HIGHLY EFFICIENT LITHIUM-ION CELLS

Up to 4 times longer use compared to the standard batteries

Advantages of Lithium-Ion Batteries:

- Compact and lightweight
- Continuous work for longer periods
- When not in use for a long time; no breakdown and no self-discharge is seen.
- Decrease in capacity is not a risk



You can check the battery level simply with its LED display.



RECHARGE FASTER IN A SHORT TIME



20V

MAXIMUM POWER



FAST CHARGE

2.0 Ah | 3.0 Ah | 4.0 Ah | 5.0 Ah

**RED X
POWER**

RQDEX



EFFICIENT AND
QUICK SOLUTION



FREEDOM TO CHOOSE THE
PROPER BATTERY
ACCORDING
TO THE WORK AND
POWER TOOL



ABILITY TO USE THE
BATTERY YOU WANT
WITH THE PRODUCT
YOU CHOOSE



FREE SWING CAPABILITY
WITH CORDLESS
POWER SYSTEM

ONE BATTERY

20V SYSTEM



**RED
POWER**

FOR ALL TOOLS 

RED
X
POWER



RPX2340F Cordless Brushless Impact Drill



20V
HIGH POWER TECHNOLOGY

BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500 / 0-1800 rpm
Impact	0-28800 bpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg

Accessories
13 pcs


2X BATTERY & CHARGER PACK

RPX2340 Cordless Brushless Impact Drill



20V
HIGH POWER TECHNOLOGY

BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Speed	0-500 / 0-1800 rpm
Impact	0-28800 bpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg


Accessories
13 pcs

RPX2330F Cordless Brushless Drill



20V
HIGH POWER TECHNOLOGY

BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500/0-1800 rpm
Torque Adjust	19+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg

Accessories
13 pcs

2X BATTERY & CHARGER PACK

RPX2330 Cordless Brushless Drill



20V
HIGH POWER TECHNOLOGY

BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Speed	0-500/0-1800 rpm
Torque Adjust	19+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg


Accessories
13 pcs

RPX2350F Cordless Brushless Drill


20V
HIGH POWER TECHNOLOGY




BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-550 / 0-2000 rpm
Torque Adjust	19+1
Max. Torque	80 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg



Accessories 13 pcs




RPX2350 Cordless Brushless Drill

20V
HIGH POWER TECHNOLOGY



BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Speed	0-550 / 0-2000 rpm
Torque Adjust	19+1
Max. Torque	80 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg



Accessories 13 pcs

RPX2360F Cordless Brushless Impact Drill


20V
HIGH POWER TECHNOLOGY




BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-550 / 0-2000 rpm
Impact	0-8800 / 0-32000 bpm
Torque Adjust	20+1+1+1
Max. Torque	80 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg



Accessories 13 pcs





RPX2360 Cordless Brushless Impact Drill


20V
HIGH POWER TECHNOLOGY



BRUSHLESS MOTOR TECHNOLOGY



Motor	BRUSHLESS
Speed	0-550 / 0-2000 rpm
Impact	0-8800 / 0-32000 bpm
Torque Adjust	20+1+1+1
Max. Torque	80 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg



Accessories 13 pcs


RPX2320F Cordless Impact Drill



20V
HIGH POWER TECHNOLOGY



Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500 / 0-1800 rpm
Impact	0-19200 bpm
Torque Adjust	19+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg




Accessories
13 pcs

RPX2320 Cordless Impact Drill



20V
HIGH POWER TECHNOLOGY



Speed	0-500 / 0-1800 rpm
Impact	0-19200 bpm
Torque Adjust	19+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg



Accessories
13 pcs


RPX2310F Cordless Drill



20V
HIGH POWER TECHNOLOGY



Battery	20V-2.0Ah Li-ion Double Battery
Speed	0-500 / 0-1800 rpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	? Kg




Accessories
13 pcs


RPX2310 Cordless Drill



20V
HIGH POWER TECHNOLOGY



Speed	0-500 / 0-1800 rpm
Torque Adjust	20+1+1+1
Max. Torque	50 NM
Chuck	13 MM Keyless Metal
Pcs.	5
Net Weight	2,8 Kg




Accessories
13 pcs

RPX2390 Cordless Impact Driver



20V
HIGH POWER
TECHNOLOGY




Speed	0-2400 rpm
Impact	0-3600 bpm
Chuck	1/4" (6.35mm) HEX
Max. Torque	180 NM
Pcs.	5
Net Weight	1.2 Kg


RPX2380 Cordless Impact Wrench



20V
HIGH POWER
TECHNOLOGY



Speed	0-2400 rpm
Impact	0-3600 bpm
Max. Torque	180 NM
Driver Size	1/2 inches
Pcs.	5
Net Weight	2,8 Kg



RPX2370 Cordless Rotary Hammer



20V
HIGH POWER
TECHNOLOGY




Speed	0-300 / 0-1000 rpm
Impact	0-5000 bpm
Impact Power	1.2 Jull
Drilling Capacity	Steel : Ø10mm Concrete : Ø20mm Wood : Ø20mm
Pcs.	2
Net Weight	4,2 Kg

RPX2375 Cordless Rotary Hammer



20V
HIGH POWER
TECHNOLOGY
BRUSHLESS MOTOR
TECHNOLOGY



Motor	BRUSHLESS
Speed	0-1400 rpm
Impact	0-4500 bpm
Impact Power	1.7 Jull
Drilling Capacity	Steel : Ø13mm Concrete : Ø22mm Wood : Ø28mm
Pcs.	2
Net Weight	4.2 Kg

RPX2150 Cordless Angle Grinder


20V
HIGH POWER
TECHNOLOGY



Disc Diameter	115 mm
Speed	8000 rpm
Spindle Thread	M14
Pcs.	4
Net Weight	3,3 Kg

RPX2155 Cordless Angle Grinder


20V
HIGH POWER
TECHNOLOGY



Motor	BRUSHLESS
Disc Diameter	125 mm
Speed	8500 rpm
Spindle Thread	M14
Pcs.	4
Net Weight	3,3 Kg

RPX2540 Cordless Circular Saw

20V
HIGH POWER
TECHNOLOGY



Speed	0-3800 rpm
Disc Diameter	165 mm
Max. Cutting	90°: 38 MM 45°: 26 MM
Pcs.	4
Net Weight	1,12 Kg

RPX2520 Cordless Jigsaw

20V
HIGH POWER
TECHNOLOGY




Speed	0-3000 rpm
Depth of Cut	60 mm
Stroke Length	18 mm
Pcs.	5
Net Weight	1,6 Kg

RPX2530

Cordless Reciprocating Saw

20V
HIGH POWER
TECHNOLOGY




Speed	0-3000 rpm
Stroke amplitude	22 mm
Max. Cutting	Wooden: 100mm Metal: 50mm
Quick blade change	Yes
Pcs.	4
Net Weight	1,6 Kg

RPX2280

Cordless Planer

20V
HIGH POWER
TECHNOLOGY



Speed	0-10000 rpm
Planer Width	60 mm
Planer Depth	0-1.25mm
Vacuum Cleaner Connection	Yes
Pcs.	4
Net Weight	2,15 Kg

RPX2250

Cordless Orbital Sander

20V
HIGH POWER
TECHNOLOGY




Speed	0-10000 rpm
Disc Diameter	125 mm
Vacuum Cleaner Connection	Yes
Pcs.	4
Net Weight	1,25 Kg

RPX2260

Cordless Sander

20V
HIGH POWER
TECHNOLOGY



Speed	0-11000 rpm
Disc Diameter	95x135x135 mm
Pcs.	4
Net Weight	1,95 Kg

RPX2410 Cordless Nailer - Stapler

20V
HIGH POWER
TECHNOLOGY



Tool Bag Gift

Speed	60 nails/min
Magazine Capacity	80 nails
Stapler Size	15-25mm
Nail Size	15-20-25-30-32 mm
Pcs.	5
Net Weight	2,6 Kg

RPX2415 Cordless Nailer - Stapler

20V
HIGH POWER
TECHNOLOGY



Led Lighting

Speed	90 nails/min
Magazine Capacity	100 pcs
Stapler Size	10-13-16-19-22-25-28-32-36-40 mm
Nail Size	15-20-25-30-32-38-40-45-50 mm
Pcs.	4
Net Weight	2,97 Kg

RPX2620 Cordless Grass-Hedge Trimmer

20V
HIGH POWER
TECHNOLOGY



Speed	1200 rpm
Cutting Thickness	7.6 mm
Sher Blade Size	92 mm
Hedge Trimmer Blade Size (Double sided)	199 mm
Pcs.	4
Net Weight	1,97 Kg

RPX2630 Cordless Brushless Pruner

20V
HIGH POWER
TECHNOLOGY



Motor	BRUSHLESS
Speed	20000 SPM
Half - Max cutting	25-33 mm
Blade length	92 mm
Cutting Forced	55 N.M.
Pcs.	10
Net Weight	1,85 Kg



RPX2270

Cordless Polishing Machine

20V
HIGH POWER
TECHNOLOGY



Disc Diameter
250 mm



Constant
Speed Control

Disc Diameter	250 mm
Speed	2500 rpm
Pcs.	2
Net Weight	2 Kg

RPX2610

Cordless Blower 2 in 1

20V
HIGH POWER
TECHNOLOGY



63 mph



Max Speed	63 mph
Vacuity	≥ 4,5 kpa
Pcs.	2
Net Weight	2 Kg

RED X POWER

20V SYSTEM

HIGH-PERFORMANCE,
HIGHLY EFFICIENT
LITHIUM-ION CELLS

RODEX



RED X POWER BATTARIES

	RPX2020	RPX2030	RPX2040	RPX2060
Voltage	20V	20V	20V	20V
Battery	2.0 Ah Li-ion	3.0 Ah Li-ion	4.0 Ah Li-ion	6.0 Ah Li-ion

LITHIUM-ION
Technology



You can check the battery level simply with its LED display.

RED X POWER CHARGERS

	RPX2070	RPX2080	RPX2090
Voltage	2,4A	4A	2 x 3,5A
2.0 Ah	45 min.	30 min.	35 min.
3.0 Ah	65 min.	45 min.	55 min.
4.0 Ah	100 min.	60 min.	70 min.
6.0 Ah	150 min.	90 min.	105 min.

RODEX



 rodexpower.com    /rodextools






RDX340

Cordless Impact Drill

18.0 Volt ⚡

- » **13 pcs ACCESSORIES**
- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 19+1+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 18V - 2.0A Battery
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook
- » Carry Case



Power	18V / 2.0A Li-ion
Torque	45 NM
Chuck	13 MM Metal Chuck
Speed	0-400 / 0-1400 RPM
Net Weight	3,56 Kg
Pcs	5


RDX3404

Cordless Impact Drill



21.0 Volt ⚡

- » **13 pcs ACCESSORIES**
- » BRUSHLESS MOTOR
- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 19+1+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 21B - 2.0 A Battery
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook
- » Carry Case



Motor	BRUSHLESS
Power	21V / 2.0A Li-ion
Torque	45 NM
Chuck	10 MM Metal Chuck
Speed	0-350 / 0-1350 RPM
Impact Power	0-6000 / 0-21750 RPM
Net Weight	3,10 Kg
Pcs	5

RDX3365

Cordless Drill

18.0 Volt ⚡

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 18B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook
- » Carry Case



Power	18 V / 2.0A Li-ion
Torque	30 NM
Chuck	10 mm
Speed	0-350 / 0-1350RPM
Net Weight	3 Kg
Pcs	5

RDX3375

Cordless Drill

21.0 Volt ⚡

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 21B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook
- » Carry Case



Power	21 V / 2.0A Li-ion
Torque	35 NM
Chuck	10 mm
Speed	0-350 / 0-1350RPM
Net Weight	3 Kg
Pcs	5



RDX3365A

Cordless Drill


18.0 Volt

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 18B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook,
- » Carry Case

Accessories Content

Soft pipe 1 pcs 25mm
Sleeve sockets 9 pcs 5mm 6mm 7mm 8mm
 9mm 10mm 11mm 12mm 13mm
Long connecting rod 1 pcs 50mm
Short connecting rod 1 pcs
Screw bit 1 pcs 50mm
Wood flat drill 3 pcs 10mm 12mm 14mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Wood drill bit 3 pcs 5mm 6mm 8mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Cement drill bit 3 pcs 5mm 6mm 8mm

Power	18 V / 2.0A Li-ion
Torque	30 NM
Chuck	10 mm
Speed	0-350 / 0-1350RPM
Net Weight	3,5 Kg
Pcs	5



28 PCS.
ACCESSORIES

RDX3375A

Cordless Drill

28 PCS.
ACCESSORIES


21.0 Volt

- » Keyless Chuck, Ease of quick tip changing
- » Led light, The ease of working in the dark
- » 18+1 Adjustment Torque
- » 2 Gear Stage
- » 2x 21B - 2,0 A
- » LI-ION BATTERIES
- » Left-Right Rotation
- » Battery level indicator
- » Belt Hook,
- » Carry Case

Accessories Content

Soft pipe 1 pcs 25mm
Sleeve sockets 9 pcs 5mm 6mm 7mm 8mm
 9mm 10mm 11mm 12mm 13mm
Long connecting rod 1 pcs 50mm
Short connecting rod 1 pcs
Screw bit 1 pcs 50mm
Wood flat drill 3 pcs 10mm 12mm 14mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Wood drill bit 3 pcs 5mm 6mm 8mm
Twist drill bits 3 pcs 5mm 6mm 8mm
Cement drill bit 3 pcs 5mm 6mm 8mm

Power	21 V / 2.0A Li-ion
Torque	35 NM
Chuck	10 mm
Speed	0-350 / 0-1350RPM
Net Weight	3,5 Kg
Pcs	5







RDX331 Cordless Screwdriver

3.6 Volt

- Easy to use with 12 accessories for any works.
- Comfortable carrying thanks to the bag.
- Faster charging and longer use with Li-ion battery.
- Convenient operation thanks to LED indicator.



Power	3.6V / 1.5A Li-ion
Max. Torque	4,5 NM
Bit Size	25 MM
Speed	0-230 RPM
Charging Time	3 Hour
Net Weight	1,47 Kg
Pcs	4




RDX308 Cordless Screwdriver

3.6 Volt

- A more elegant appearance thanks to the transparent box.
- 53 pieces screwdriver bits.
- Easy access to more difficult areas thanks to its transformable structure.
- Working in dark areas thanks to the auxiliary LED light.

Power	3.6V / 1.5A Li-ion
Max. Torque	4 NM
Speed	0-210 RPM
Net Weight	1,1 Kg
Pcs	8



RODEX



 rodexpower.com    /rodextools





RDX151 Electric Drill



500 Watt ⚡

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Belt Hook

Power	500 W
Drilling Capacity	10 MM
Speed	0-2600 RPM
Net Weight	1,9 Kg
Pcs	10

RDX1504 Electric Drill



450 Watt ⚡

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Belt Hook

Power	450 W
Drilling Capacity	10 MM
Speed	0-2600 RPM
Net Weight	1,5 Kg
Pcs	10

RDX154 Electric Drill



240 Watt ⚡

- » Automatic Chuck
- » Torq Adjustment
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right

Power	240 W
Drilling Capacity	10 MM
Speed	0-800 RPM
Net Weight	2,33 Kg
Pcs	6

RDX153 Electric Drill



280 Watt ⚡

- » Automatic Chuck
- » Torq Adjustment
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right

Power	280 W
Drilling Capacity	10 MM
Speed	0-750 RPM
Net Weight	1,42 Kg
Pcs	10



RDX1550 Impact Drill



850 Watt

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

Power	850 W
Drilling Capacity	13 MM
Speed	0-2700 RPM
Net Weight	2,0 Kg
Pcs	10

RDX1551 Impact Drill



850 Watt

- » Automatic Chuck
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter

- Depthometer x1
- Insulating Tape x1
- Socket Sets x8
- Screw Box x1
- Cement Drill Bits x3
- Twist Drill Bits x3
- Knife x1
- Screw Bits Set x6
- Machine x1
- Side Handle x1
- BMC x1

Power	850 W
Drilling Capacity	13 MM
Speed	0-2700 RPM
Net Weight	3,6 Kg
Pcs	5

RDX226 Rotary Hammer Drill




800 Watt



- » Chuck type (SDS PLUS)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case

Power	800 Watt
Drilling Capacity	Concrete: 26mm Wood: 30mm Steel: 13mm
Impact Power	3 Jull
Impact Speed	0-5500 bpm
Speed	0-1100 rpm
Pcs.	5,5 Kg
Net Weight	5



RDX2265 Rotary Hammer Drill




800 Watt



- » Chuck type (SDS PLUS)
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case

Power	800 W
Drilling Capacity	Concrete: 26mm Wood: 30mm Steel: 13mm
Impact Power	3 Jull
Impact Speed	0-4900 bpm
Speed	0-900 rpm
Pcs.	6,06 Kg
Net Weight	5





RDX227 Rotary Hammer Drill



850 Watt



- » Chuck type (SDS PLUS)
- » Tool transmission housing reinforced with magnesium alloy
- » Speed Adjustment
- » Lock Switch
- » Rotate left and right
- » Depth Limiter
- » Carry Case

Power	850 Watt	
Drilling Capacity	Concrete: 26mm Wood: 30mm Steel: 13mm	
Impact Power	3.4 Jull	
Impact Speed	0-5100 bpm	
Speed	0-1300 rpm	
Pcs.	6,04 Kg	
Net Weight	5	

RDX231 Rotary Hammer Drill



1300 Watt



- » Chuck type (SDS PLUS)
- » Anti vibration
- » Carry Case

Power	1300 Watt	
Drilling Capacity	Concrete: 30mm Wood: 42mm Steel: 13mm	
Impact Power	5 Jull	
Impact Speed	4300 bpm	
Speed	850 rpm	
Pcs.	7 Kg	
Net Weight	2	

RDX234 Rotary Hammer Drill



1500 Watt



- » Chuck type (SDS PLUS)
- » Anti vibration
- » Carry Case

Power	1500 Watt	
Drilling Capacity	Concrete: 32mm Wood: 42mm Steel: 13mm	
Impact Power	5,5 Jull	
Impact Speed	4350 bpm	
Speed	0-880 rpm	
Pcs.	7,25 Kg	
Net Weight	2	

RDX2402 Rotary Hammer Drill



1600 Watt




- » Chuck type (SDS MAX)
- » Anti vibration
- » Tool transmission housing reinforced with magnesium alloy
- » Carry Case

Power	1600 Watt	
Drilling Capacity	Concrete: 30mm Wood: 40mm Steel: 13mm	
Impact Power	10 Jull	
Impact Speed	3800 bpm	
Speed	630 rpm	
Pcs.	11 Kg	
Net Weight	2	



RDX271 Rotary Hammer Drill

1600 Watt



SDS
MAX



Left - Right
Rotation




Anti
Vibration



Carry
Case




Power	1600 Watt
Drilling Capacity	Wood: 50mm
Impact Power	25 Jull
Impact Speed	2300 bpm
Speed	380 rpm
Pcs.	11,5 Kg
Net Weight	1



RDX276 Rotary Hammer Drill

1700 Watt




SDS
MAX




Magnesium
Body




Adjustable
Handle



Grip Limiter
System



Anti
Vibration



Carry
Case



Power	1700 Watt
Drilling Capacity	Wood: 50mm
Impact Power	27 Jull
Impact Speed	950-1900 bpm
Speed	160-320 rpm
Pcs.	18,5 Kg
Net Weight	1

Grip handle,

Vibration inhibitor system.

It minimizes shaking by reducing the vibration, easy to use for long-term works.

27 Joules impact power it enables easy break with its high impact force.

Impact-drilling and breaking functions.

Magnesium body.

Grip limitation system avoids high torqued rebound that can occur during drill bit jam.

Ergonomic and adjustable handle lets you do your job easily by adjusting the handle suitably to your position.




RDX616 Bench Drill

550 Watt

- 12 Stage Drilling Speed
- 550 Watt Powerful Engine
- 16 MM Drilling Capacity
- 700 MM Vertical Middle Panel Movement,
- 36 MM Column Diameter, Profile Fixing,
- Perforated Middle Panel
- 290 * 190 Mm Base With Mounting Hole
- Dimensions: 30x100x65
- Copper Winding Motor



16mm
Drilling



Power	550 W
Drilling Capacity	16 MM
Drilling Speed	12 Speed Stage
Speed	210-2220 RPM
Net Weight	37,09 Kg
Pcs	1

RDX613 Bench Drill

350 Watt

- 5 Stage Drilling Speed
- 350 Watt Powerful Engine
- 13 MM Drilling Capacity
- Profile Fixing,
- Perforated Middle Panel
- Base With Mounting Hole
- Dimensions: 20x60x40
- Copper Winding Motor



13mm
Drilling



Power	350 W
Drilling Capacity	13 MM
Drilling Speed	5 Speed Stage
Speed	620-2620 RPM
Net Weight	16,8 Kg
Pcs	1

RDX309 1/2" Electric Impact Wrench

1010 Watt

- » **450NM Torque**
- » Strong Body Metal
- » Left-Right Rotation
- » Quick Bit Replacement
- » Carry Case



Socket Set Included



17-19-21-22 MM



Power	1010 W
Torque	450 NM
Speed	2200 RPM
Net Weight	5,2 Kg
Pcs	4

RDX312 Electric Screwdriver

600 Watt

- » **4 M Cable**
- » **9.6 Nm torque capacity makes it easy for tasks that require power**
- » Belt Hanger
- » Speed Adjust
- » Left-Right Rotation
- » Lock Switch
- » Rubber coating with easy grip does not tire hands



Power	600 W
Torque	9,6 NM
Screw	6 MM
Speed	0-4500 RPM
Net Weight	5,2 Kg
Pcs	4



RDX6830 Core Drilling Machines



2450 Watt

2450 Watt super powerful engine operates lots of difficult drilling works easily thanks to its powerful engine.
 2 Manual speed adjustment.
 Water support for making drilling easier.
 The base is made of aluminum alloy, the steel column can be tilted up to 45°, and the engine mount is fixed on a saddle that slides on a Teflon guide that guarantees high performance.
 Easy carriage with wheel system.

Power	2450 W
Max. Drilling Capacity	255 MM
Drilling Depth	690 MM
Speed	500 - 920 RPM
Net Weight	39 Kg
Pcs	1



RDX6825 Core Drilling Machines

2450 Watt

- » Powerful engine
- » Water support
- » Long service life.



Power	2450 W
Max. Drilling Capacity	255 MM
Drilling Depth	650 MM
Speed	500 - 920 RPM
Net Weight	25 Kg
Pcs	1

Core Drilling Bits



CODE	DIA.	LENGHT	PCS
RDY6853	53 MM	500 MM	20
RDY6863	63 MM	500 MM	15
RDY6871	71 MM	500 MM	9
RDY6883	83 MM	500 MM	9
RDY68102	102 MM	500 MM	6
RDY68112	112 MM	500 MM	4
RDY68127	127 MM	500 MM	4
RDY68152	152 MM	500 MM	4

RODEX



 rodexpower.com    /rodextools






RDX108 Angle Grinder

750 Watt



- » Spindle Lock for easy disc change
- » Protected Switch
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration

Cutting Disc for Metal included



Power	750 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight	2,4 Kg
Pcs	10

RDX109 Angle Grinder

1020 Watt



- » Spindle Lock for easy disc change
- » Protected Switch
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration

Cutting Disc for Metal included



Power	1020 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	11000 RPM
Net Weight	1,9 Kg
Pcs	10


RDX105 Angle Grinder

1200 Watt



- » Electronic Speed Adjustment
- » Spindle Lock for easy disc change
- » Protected Switch
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Cutting Disc for Metal included



Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	115/125 MM
Speed	4500-10000 RPM
Net Weight	3,41 Kg
Pcs	6

RDX1120 Angle Grinder

1200 Watt



- » Fast cutting with 1200 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Cutting Disc for Metal included



Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	125 MM
Speed	0-10000 RPM
Net Weight	2,75 Kg
Pcs	8



RDX1151 Angle Grinder

1200 Watt



- » Fast cutting with 1200 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	1200 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	150 MM
Speed	0-10000 RPM
Net Weight	2,75 Kg
Pcs	8

RDX1170 Angle Grinder

1500 Watt



- » Fast cutting with 1500 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle

Cutting Disc for Metal included



Power	1500 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	125-150 MM
Speed	1000-9000 RPM
Net Weight	3,6 Kg
Pcs	6

RDX1161 Angle Grinder

1300 Watt



- » Fast cutting with 1300 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	1300 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	0-8000 RPM
Net Weight	3,5 Kg
Pcs	8

RDX1171 Angle Grinder

1500 Watt



- » Fast cutting with 1500 watt powerful engine
- » Electronic Speed Adjustment
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	1500 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 MM
Speed	0-8000 RPM
Net Weight	4,0 Kg
Pcs	8



RDX118 Angle Grinder

2000 Watt



- » Fast cutting with 2000 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	2000 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	180 mm
Speed	8000 RPM
Net Weight	5,5 Kg
Pcs	2

RDX1231 Angle Grinder

2000 Watt



- » Fast cutting with 2000 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	2000 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6 Kg
Pcs	2



RDX1290 Angle Grinder

2400 Watt



- » Fast cutting with 2400 watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment



Power	2400 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6 Kg
Pcs	2

RDX1300 Angle Grinder

2600 Watt



- » Fast cutting with 2600watt powerful engine
- » Spindle lock for easy disc change
- » Protected Switch
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » Soft handle reduces vibration
- » Tool-free Guard Adjustment

Power	2600 W
Voltage	230 V
Frequency	50 Hz
Disc Diameter	230 mm
Speed	6500 RPM
Net Weight	6,5 Kg
Pcs	2



RDX1341

Mini Die Grinder Set


135 Watt



41 pcs
Accessories

- » Variable speed dial is easy to use. The Variable Speed Adjustment 5 Step Speeds from 10,000 to 32,000 RPM
- » Spindle lock for fast tool changes.
- » Flexible Shaft.
- » Perfect for sanding, polishing, cutting, shaping, drilling, deburring, grinding, cleaning, engraving, trimming etc, and enabling you to achieve different crafting work efficiently.

Power	135 W
Clamping Diameter	0.8 - 3.2 mm
Speed	10000 - 32000 RPM
Net Weight	1,80 Kg
Pcs	10



Connected to the table telescopic hanger apparatus

RDX147

Polisher

1200 Watt



Watch it on
YouTube



- » 5 Variable speed regulation, can be adjusted to meet different needs.
- » Soft Starter System
- » Easy Brush Change
- » Two Position Auxiliary Handle
- » The design of M14 thread is convenient to install the self adhesive disc.

Power	1200 W
Disc Diameter	180 mm
Speed	600 - 2000 RPM
Net Weight	2,6 Kg
Pcs	8

RDX149

Polisher

1200 Watt



- » 5 Variable speed regulation, can be adjusted to meet different needs.
- » Spindle lock for easy pad change
- » Soft Starter System
- » Easy Brush Change
- » Three Position Auxiliary Handle
- » The design of M14 thread is convenient to install the self adhesive disc.



Power	1200 W
Disc Diameter	180 mm
Speed	600 - 3700 RPM
Net Weight	3,96 Kg
Pcs	6



RDX694 Cut Off Machine



2400 Watt 

Power	2400 W
Disc Diameter	355 MM
Depth of Cut	120 MM
Speed	3800 RPM
Net Weight	18,8 Kg
Pcs	1



Ergonomic
Compression Handle



45° Angle Cutting



RDX694 Compatible Model

P. Code	Size		
SRIM350	350x3x25.4mm	15	30

- » 2400 Watt, 3,800 RPM motor with replaceable brushes provides power and durability for the chop saw.
- » Quick-release material clamp of the metal chop saw allows for easy material cutting and removal.
- » Cutting fence with miter adjustment of the metal cutting saw allows up to 45 degree angles to be cut.
- » Ergonomically designed horizontal handle puts user's wrist in a more comfortable position to help reduce user fatigue and increase productivity
- » Spark deflector provides safety and clear line of sight for cutting.
- » Heavy duty steel base provides stability while cutting.
- » Spindle lock for easy blade changes.





RDX4121A Bench Grinder

180 Watt ⚡




- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	180 W
Stone Size	125x16x12,7 mm
Speed	2950 RPM
Net Weight	4 Kg
Pcs	1

RDX4151A Bench Grinder

180 Watt ⚡



- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	180 W
Stone Size	150x16x12.7 mm
Speed	2950 RPM
Net Weight	6 Kg
Pcs	1

RDX4171A Bench Grinder

375 Watt ⚡




- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	375 W
Stone Size	175x20x12.7 mm
Speed	2950 RPM
Net Weight	7,5 Kg
Pcs	1

RDX4201A Bench Grinder

400 Watt ⚡




- » High Motor Power
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	400 W
Stone Size	200x20x16 mm
Speed	2950 RPM
Net Weight	10 Kg
Pcs	1



RDX4201 Bench Grinder

350 Watt




- » **EQUIPPED WITH WORK LIGHT**
- » **Copper coil to run fast, robust and powerful engine**
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	350 W
Stone Size	150x20x16 mm
Speed	2950 RPM
Net Weight	11,5 Kg
Pcs	1

RDX4151 Bench Grinder

250 Watt




- » **EQUIPPED WITH WORK LIGHT**
- » **Copper coil to run fast, robust and powerful engine**
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	250 W
Stone Size	150x20x12,7 mm
Speed	2950 RPM
Net Weight	8 Kg
Pcs	1

RDX4121 Bench Grinder


170 Watt



- » **EQUIPPED WITH WORK LIGHT**
- » **Copper coil to run fast, robust and powerful engine**
- » Eye shields for safety
- » Adjustable work/tool rest for precision control
- » Low vibration during operation

Power	170 W
Stone Size	125x16x12.7 mm
Speed	2950 RPM
Net Weight	5 Kg
Pcs	1

RODEX





 rodexpower.com    /rodextools





RDX6291


Sliding Compound Miter Saw



Power	2100 W
Voltage	230 V
Frequency	50 HZ
Disc Diameter	255 MM
Speed	5000 RPM
Net Weight	15,3 Kg
Pcs	1



Maximum Cutting Performance

90°x90°: 105x335 mm
 90°x45°(L): 60x335 mm
 90°x45°(R): 35 mmx335 mm
 45°x90°: 105x235 mm
 45°x45°(L): 60x235 mm
 45°x45°(R): 35x235 mm




RDX622

Compound Miter Saw



Power	1200 W
Voltage	230 V
Frequency	50 HZ
Disc Diameter	210 x 30 x 2,8 MM
Speed	4500 RPM
Net Weight	9 Kg
Pcs	1

- » Features a powerful 1200 W hi-torque gearbox, which reduces motor stresses improving performance and durability
- » Optimised to cut mild steel, non-ferrous metals, wood and plastic with one blade
- » High-quality milled angle scale for precise angled cuts
- » Precise parallel guide for maximum cutting accuracy
- » Spindle lock for easy saw blade changes






RDX6275

Table Saw

2000 Watt

Working table size: 583x563mm
Extension table size: 583x893mm



- » Our table saw for woodworking works with 5000 rpm to give you the necessary force to cut almost any hardwood. Includes a heavy duty metal table for the necessary balance and stability.
- » This table saw has a rack and pinion bevel control that allows you to make angled cuts from 90° to 45°. Includes a bevel lock lever and handwheel for height adjustment.
- » Quick-release blade guard & riving knife
- » Quick blade elevation adjustment

Power	2000 W
Saw Diameter	250 mm
Depth of Cut 45°	65 mm
Depth of Cut 90°	85 mm
Working table size	583x563mm
Speed	5000 RPM
Net Weight	22 Kg
Pcs	1





RDX3821 Circular Saw

1300 Watt



- » **LASER GUIDE FOR STRAIGHT CUT**
- » **1300W High Performance motor delivers full-size performance at 4700RPM**
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power	1300 W
Saw Diameter	185 mm
Depth of Cut	63mm
Speed	4700RPM
Net Weight	4,5 Kg
Pcs	4

RDX384 Circular Saw

1600 Watt



- » **LASER GUIDE FOR STRAIGHT CUT**
- » **1600W High Performance motor delivers full-size performance at 5000RPM**
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power	1600 W
Saw Diameter	190 MM
Depth of Cut	65 MM
Speed	5000 RPM
Net Weight	5,5 Kg
Pcs	2

RDX385 Circular Saw

1300 Watt



- » **LASER GUIDE FOR STRAIGHT CUT**
- » **1800W High Performance motor delivers full-size performance at 5300RPM**
- » Easy to change the blade with plus hex wrench.
- » Double Safety Switch prevents the machine from accidentally opening
- » 45° Angle Cutting
- » Easy Brush Change

Power	1800 W
Saw Diameter	210 MM
Depth of Cut	75 MM
Speed	5300 RPM
Net Weight	6,25 Kg
Pcs	2

RDX3650 Jig Saw

1300 Watt



- » **LASER GUIDE FOR STRAIGHT CUT**
- » **6 speeds can be applied to different materials: metal, plastic, wood and etc.**
- » 800-3000 RPM per minute for higher cutting performance
- » 4 Orbital Settings & 45° Bevel Precise Cutting
- » Tool-free Blade Changing & Switch Lock Design
- » LED Light Guide & Dust Collection


Power	850 W
Depth of Cut	100 MM
Speed	800 - 3000 RPM
Net Weight	2,25 Kg
Pcs	8



RDX9071 Reciprocating Saw

710 Watt

METAL - WOOD - PLASTIC



- » RODEX 710W reciprocating saw with rotation speed between 0 ~ 2800 rpm meet different cutting needs on various materials
- » The lock button on the handle helps work through a constant speed
- » With quick-change mechanism, it is able to install or remove the blade very quickly and without using any other tool
- » Ideal for cutting of wood, metal, PVC, tube a plasterboard plate etc

Power	710 W
Metal Cutting	90 MM
Wood Cutting	115 MM
Plastic Cutting	115 MM
Speed	0-2800 RPM
Net Weight	2,58 Kg
Pcs	6



RDX139 Wall Chaser

1100 Watt



- » 2000 RPM High Power
- » 16-25-35MM Cutting Depth
- » Dust Exit Unit
- » Carry Case



Power	1100 W
Cutting Width	16-35 MM
Depth of Cut	16 - 25 - 35 MM
Speed	2000 RPM
Net Weight	10,8 Kg
Pcs	2

RDX3881 Marble Cutter

1300 Watt




- » Cutting Depth 21.5 - 32.5mm
- » Резка под углом 45°
- » 45° Angle Cutting
- » Wet Cutting
- » Easy access to brushes for quick replacement
- » Trigger Lock System

Power	1300 W
Saw Diameter	110-125 mm
Depth of Cut	90°: 32.5 mm 45°: 21.5 mm
Speed	11000 RPM
Net Weight	3,33 Kg
Pcs	6




RDX110 Mini Plunge Saw Set

600 Watt



Power	600 W
Saw Diameter	89 MM
Speed	5500 RPM
Net Weight	3,87 Kg
Pcs	4


Cutting Depth:
Wood: 28,5 MM
Tile: 8 MM
Aluminum: 3 MM



3 Saw Blade Gift




RTS2489	Diamond Saw (Wood)
RTS8089	HSS Saw (Metal)
RRA089	TCT Saw (Concrete)



RDX137 Multi Tool

320 Watt



Power	320 W
Oscillation Angle	1,4 °
Speed	6000 - 20000 RPM
Net Weight	2,5 Kg
Pcs	4

GIFT ACCESSORIES



Code	Description	Pcs.
RDY13701	Blade	10
RDY13702	Saw (Wood)	10
RDY13703	Saw (Steel)	10
RDY13704	Grout Cleaner	10
RDY13705	Grout Blade	10
RDY13706	Sand	10
RDY13707	Sand Pad	10
RDY13708	Ring Saw (Wood)	10




RDX3901 Electric Planer

910 Watt



- » Large knife shaft and a 910 W power rating deliver optimum planing results.
- » Adjustable chipping depth. Depth up to 3,5 mm.
- » Large blade wave for ideal working results
- » Sturdy, flat aluminium base plate for the best planing results



ACCESSORIES

Power	910W
Planer Width	82 mm
Planer Depth	3,5 mm
Speed	16500 RPM
Net Weight	3,8 Kg
Pcs	4

RDX374 Belt Sander

1010 Watt



- » Under the 1000W high power and 6 adjustable speeds
- » 75 x 533mm sandpaper for larger sanding area
- » Soft-grip design for comfortable working
- » Adjustable Handle
- » Trigger Lock System, perfect for long-time work.
- » Speed Adjust

Power	1010 W
Sanding Size	76 x 533 MM
Speed	120 - 380 RPM
Net Weight	4,11 Kg
Pcs	6

RDX370 Finishing Sander

300 Watt



- » Speed selection to suit any application
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » AluminiumBase
- » Trigger Lock System
- » Dust Collection Bag

Power	300 W
Sanding Size	115 x 230 MM
Speed	6000 - 12000 RPM
Net Weight	2,5 Kg
Pcs	6

RDX376 Random Orbit Sander

430 Watt



- » Speed selection to suit any application
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » Trigger Lock System
- » Dust Collection Bag

Power	430 W
Sanding Size	125 MM
Speed	6000-13000 RPM
Net Weight	2,5 Kg
Pcs	6



RDX377 Random Orbit Sander

450 Watt



- » Excellent, handling, control and manageability for relaxed and clean working in all orientations
- » Variable speed control with ergonomic positioning
- » Velcro-type fastening for fast paper change
- » Soft-grip design for comfortable working
- » Trigger Lock System
- » Integrated dust extraction due to the dust box

Power	450 W
Sanding Size	125 / 150 MM
Speed	4000-13000 RPM
Net Weight	2,84 Kg
Pcs	5

RDX3787 Electric Router

1600 Watt



- » 1600W motor with soft start function and variable speeds (6000-22000rpm) for smooth routing across every application
- » Variable plunge depth up to 50mm with micro adjustment dial for precise woodworking
- » ½ inch and ¼ collets enable use with the most widely available router bits
- » Ergonomic soft grip handle with on/off lock-on switch built-in for maximum ease of use

Power	1600 W
Clamp Size	8 / 12 MM
Plunge Depth	0-60 MM
Speed	6000 - 22000 RPM
Net Weight	5,48 Kg
Pcs	2

RDX3785 Electric Trimmer

680 Watt



Power	680 W
Chuck Diameter	6,35 MM
Spindle Lock	Yes
Speed	3000 RPM
Net Weight	1,8 Kg
Pcs	10



ACCESSORIES





RDX3921 Hand Mixer

1200 Watt



» 6 VARIABLE SPEED MODES

- » Double handle ergonomic design, soft grip.
- » Mixer Paddle **Ø120 mm**, Tool connection: **M14**
- » Widely used for mixing feed, paint, cement, drywall mud, grout, mortar, plaster etc.
- » Trigger Lock System
- » Easy Brush Change

Power	1200 W
Mixer Paddle	Ø 120 mm
Speed	0 - 800 RPM
Net Weight	5,25 Kg
Pcs	2



RDX3941 Hand Mixer

1600 Watt



» 6 VARIABLE SPEED MODES

- » Double handle ergonomic design, soft grip.
- » Mixer Paddle **Ø140 mm**, Tool connection: **M14**
- » Widely used for mixing feed, paint, cement, drywall mud, grout, mortar, plaster etc.
- » Trigger Lock System
- » Easy Brush Change m

Power	1600 W
Mixer Paddle	Ø 140 mm
Speed	0 - 800 RPM
Net Weight	6 Kg
Pcs	2



RDX705 Electric Paint Spray Gun

900 Watt



Power	900 W
Maximum Viscosity	90 DIN/SN
Paint Tank	700 ML
Nozzle	2,6 MM
Speed	800 ML/min.
Net Weight	3,85 Kg
Pcs	2

700 ML Paint Tank



Ergonomic Gun

Ergonomic gun grip that does not tire hand in long-term usage. Rubber coating for finger and palm area.



900 Watt
Powerful Engine

Easy to carry with its
light and compact structure

Fast and flawless tonning


Sprinkler head that provides fast and perfect painting without splash or drop.

Super Flexible
Hose 3 Mt.



RDX475 Concrete Vibrator


1500 Watt



Vibrator Type	Deep
Engine Type	Electric
Power	1500 W
Vibration Frequency	2850 R/Min.
Tip Diameter	50-70 MM
Net Weight	10,8 Kg
Pcs	1

RDX476 Concrete Vibrator


2000 Watt



Vibrator Type	Deep
Engine Type	Electric
Power	2000 W
Vibration Frequency	2850 R/Min.
Tip Diameter	50-70 MM
Net Weight	10 Kg
Pcs	1

RDX470 Concrete Vibrator

800 Watt



Vibrator Type	Deep
Engine Type	Electric
Power	800 W
Vibration Frequency	3800 R/Min.
Tip Diameter	35 MM
Net Weight	1,80 Kg
Pcs	10

Concrete Vibrator Shaft




Code	Vibrator Mace Diameter	Shaft Length	Pcs./Box
RDY170	35 MM	1 M	1
RDY171	35 MM	1,5 M	1
RDY172	35 MM	2 M	1
RDY175	50 MM	4 M	1
RDY176	50 MM	6 M	1
RDY177	70 MM	4 M	1
RDY178	70 MM	6 M	1




RDX3060

Wet & Dry Industrial Vacuum Cleaner

1400 Watt



On-board maximum 1800W power outlet allows synchronized usage of power tools with auto on/off



ACCESSORIES




Power	1400 W
Power Outlet	1800 W
Tank Capacity	20 L
Vacuity	≥ 20kpa
Net Weight	7 Kg
Pcs	1






RDX307

Wet & Dry Industrial Vacuum Cleaner

1400 Watt



On-board maximum 1800W power outlet allows synchronized usage of power tools with auto on/off




ACCESSORIES



Power	1400 W
Power Outlet	1800 W
Tank Capacity	30 L
Vacuity	≥ 20kpa
Net Weight	7 Kg
Pcs	1

RODEX



 rodexpower.com    /rodextools





RDX287

Industrial Electric Heater

5 kW



Power	5 kW
Voltage	380-400 V
Air Consumption	588 m ³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	50 m ²
Cable Length	1.6 M
Dimensions	330*235*345mm
Net Weight	4,36 Kg
Pcs	1



- The ceramic heater does not burn out oxygen in the room. The room does not get stuffy when using the heater.
- Does not ignite dust that has fallen on it. There is no unpleasant burnt smell during heating.
- The air flow direction is regulated by the fan inclination. No additional tools are required to change the airflow angle.
- The operating mode and heating intensity are set with rotary knobs from above. The controls are simple and straightforward.
- 3 operating modes: airing, half power and full power. In ventilation mode, replaces the conventional fan.
- The device is to in handy even in the warm season.

RDX286

Electric Heater

3 kW



Power	3 kW
Voltage	220-240 V
Air Consumption	280 m ³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	30 m ²
Cable Length	1.6 M
Dimensions	265*210*290mm
Net Weight	2,96 Kg
Pcs	1

RDX285

Electric Heater

2 kW



Power	2 kW
Voltage	220-240 V
Air Consumption	197 m ³ / Hour
Temperature	0-85 ° C
Thermostat	Yes
Heating Method	Ceramic Heating Element
Recommended Heating Area	20 m ²
Cable Length	1.6 M
Dimensions	210*160*217mm
Net Weight	1,88 Kg
Pcs	8



RDX2812

Gas Forced Heater

12 kW



- » 320 m³/h. heat up a area in no time.
- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	40.000 BTU/H.
Heating power	12 kW
Fan Power Consumption	40 W
Max flow rate gas	0,81 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	320 m ³ /H.
Fuel	propane / butane
Auto ignition	Yes
Weight	3.8 Kg
Quantity	1

RDX2817

Gas Forced Heater

17 kW



- » 320 m³/h. heat up a area in no time.
- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	57.000 BTU/H.
Heating power	17 kW
Fan Power Consumption	40 W
Max flow rate gas	1.17 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	320 m ³ /H.
Fuel	propane / butane
Auto ignition	Yes
Weight	3.8 Kg
Quantity	1

RDX2833

Gas Forced Heater

33 kW



- » 650 m³/h. heat up a area in no time.
- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	112.000 BTU/H.
Heating power	33 kW
Fan Power Consumption	70 W
Max flow rate gas	2,4 Kg/H.
Add. liquefied pressure gas	0.7 Bar
Air consumption	650 m ³ /H.
Fuel	propane / butane
Auto ignition	Yes
Weight	5,65 Kg
Quantity	1

RDX2851

Gas Forced Heater

51 kW



- » 650 m³/h. heat up a area in no time.
- » This heater can run on both LPG and Propane gas.
- » Use in workshops and garages and are capable of heating a large room quickly and easily.
- » Fan assisted to ensure strong control over heat output
- » Automatic overheat protection system
- » Built in carry handle for easy portability

Voltage	220-240 V
Heating capacity	173.000 BTU/H.
Heating power	51 kW
Fan Power Consumption	70 W
Max flow rate gas	3,7 Kg/H.
Add. liquefied pressure gas	1,5 Bar
Air consumption	650 m ³ /H.
Fuel	propane / butane
Auto ignition	Yes
Weight	6,45 Kg
Quantity	1



RDX2910

Diesel Forced Heater

10 kW



- » 750 m³/h. heat up a area in no time.
- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Automatic electric safety & control device.

Voltage	220-240 V
Heating capacity	34.000 BTU/H.
Heating power	10 kW
Fan Power Consumption	230 W
Fuel consumption	0.8 Kg/H.
Air consumption	450 m ³ /H.
Fuel	Diesel
Auto ignition	Yes
Weight	10 Kg
Quantity	1

RDX2920

Diesel Forced Heater

20 kW



- » 750 m³/h. heat up a area in no time.
- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.

Voltage	220-240 V
Heating capacity	68.000 BTU/H.
Heating power	20 kW
Fan Power Consumption	230 W
Fuel consumption	1,6 Kg/H.
Air consumption	550 m ³ /H.
Fuel	Diesel
Auto ignition	Yes
Weight	14 Kg
Quantity	1

RDX2930

Diesel Forced Heater

30 kW



- » 750 m³/h. heat up a area in no time.
- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.
- » Wheels for easy mobility.

Voltage	220-240 V
Heating capacity	102.000 BTU/H.
Heating power	30 kW
Fan Power Consumption	230 W
Fuel consumption	2,4 Kg/H.
Air consumption	750 m ³ /H.
Fuel	Diesel
Auto ignition	Yes
Weight	21 Kg
Quantity	1

RDX2950

Diesel Forced Heater

50 kW



- » 750 m³/h. heat up a area in no time.
- » Stainless steel combustion chamber with fan cooling,
- » Flame sensor Over heat and Cut-off protection
- » Temperature display & control.
- » Automatic electric safety & control device.
- » Wheels for easy mobility.



Voltage	220-240 V
Heating capacity	170.000 BTU/H.
Heating power	50 kW
Fan Power Consumption	230 W
Fuel consumption	4,0 Kg/H.
Air consumption	1200 m ³ /H.
Fuel	Diesel
Auto ignition	Yes
Weight	26 Kg
Quantity	1




RDX305

Hot Air Gun

2000 Watt



Digital Heat Adjustable




Carry Case

Power	2000 W
Temperature	50° / 650°C
Speed	250/500 L/min
Net Weight	2,1 Kg
Pcs	5

- Smart thermostat, automatic shutdown in case of heating because of overstrain.
- Hot air grade adjustment, enables to work by adjusting the heated air according to need of the job.
- Ergonomic design, rubber coating with easy grip does not tire hands.
- 4 Nozzles & other accessories


ACCESSORIES



RDX302

Hot Air Gun

2000 Watt




- » This kind of heat gun is designed with 2 modes
- » Built-in overheating protection can make sure safe and reliable using.
- » 4 Nozzles & other accessories
- » Ergonomic design, rubber coating with easy grip does not tire hands.
- » Carry case

Power	2000 W
Temperature	450° / 600°C
Speed	250/500 L/min
Net Weight	1,96 Kg
Pcs	5

RDX303

Hot Air Gun

2000 Watt



- » This kind of heat gun is designed with 2 modes
- » Built-in overheating protection can make sure safe and reliable using.
- » 4 Nozzles & other accessories
- » Ergonomic design, rubber coating with easy grip does not tire hands.
- » Carry case




Power	2000 W
Temperature	300° / 600°C
Speed	280/480 L/min
Net Weight	1,94 Kg
Pcs	5



RDX304

Hot Air Gun

2000 Watt




Carry Case

Power	2000 W
Temperature	300° / 650°C
Speed	300/500 L/min
Net Weight	1,6 Kg
Pcs	5

- Smart thermostat, automatic shutdown in case of heating because of overstrain.
- 2000W motor can generate powerful hot air and can heat up in seconds quickly.
- Multifunctional heat gun widely can be applied for peeling paint, bending pipes, igniting carbon, shrinking PVC, removing rusted bolts, bending and molding plastics and thawing and more
- Ergonomic design, rubber coating with easy grip does not tire hands.
- 4 Nozzles & other accessories


ACCESSORIES



RDX303A

Hot Air Gun

2000 Watt



- » This kind of heat gun is designed with 2 modes
- » Built-in overheating protection can make sure safe and reliable using.
- » 4 Nozzles & other accessories
- » Ergonomic design, rubber coating with easy grip does not tire hands.

Power	2000 W
Temperature	300° / 600°C
Speed	280/480 L/min
Net Weight	1,29 Kg
Pcs	10

RDX3015

Air Blower

650 Watt



- » Professional 650 watt powerful leaf blower, portable and easy to use
- » Built-in powerful and durable high speed copper motor
- » Offer different wind forces with variable speeds controller switch
- » Rubber soft grip coated handle
- » Powerful blower and suction device ideal for leaf blowing or car drying


Power	650 W
Speed	0-1500 RPM
Net Weight	2,16 Kg
Pcs	6




RDX490A

Electric Chain Hoists

1900 Watt



COPPER WINDING
The high-quality copper motor 1300W. This powerful motor ensures the high-efficient work and saves more energy.




Wide Application: The power hoist is suitable for factories, warehouses, construction sites, carmakers, railway constructions, etc. It is an ideal tool for working in harsh indoor or outdoor environments.

Operating Voltage	230 V
Frequency	50 Hz
Power	1900 W
Load Capacity	600/1200 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	33 Kg
Pcs	1




RDX480A Electric Chain Hoist




Operating Voltage	230 V
Frequency	50 Hz
Power	1300 W
Load Capacity	400 / 800 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	19,2 Kg
Pcs	2

RDX450A Electric Chain Hoist



Operating Voltage	230 V
Frequency	50 Hz
Power	1000 W
Load Capacity	250 / 500 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	16.80 Kg
Pcs	2

RDX425A Electric Chain Hoist



Operating Voltage	230 V
Frequency	50 Hz
Power	500 W
Load Capacity	125 / 250 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	10,7 Kg
Pcs	2



RDX480

Electric Chain Hoists

1300 Watt



COPPER WINDING

The high-quality copper motor 1300W. This powerful motor ensures the high-efficient work and saves more energy.

COPPER WINDING MOTOR



Operating Voltage	230 V
Frequency	50 Hz
Power	1300 W
Load Capacity	400 / 800 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	20 Kg
Pcs	2

Wide Application: The power hoist is suitable for factories, warehouses, construction sites, carmakers, railway constructions, etc. It is an ideal tool for working in harsh indoor or outdoor environments.




RDX450

Electric Chain Hoist

1000 Watt



COPPER WINDING MOTOR



Operating Voltage	230 V
Frequency	50 Hz
Power	1000 W
Load Capacity	250 / 500 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	17,20 Kg
Pcs	2


RDX425

Electric Chain Hoist

500 Watt



COPPER WINDING MOTOR



Operating Voltage	230 V
Frequency	50 Hz
Power	500 W
Load Capacity	125 / 250 Kg
Rope length - thicknes	20 M (Ø 4 mm)
Net Weight	11 Kg
Pcs	2

RODEX



 rodexpower.com    /rodextools





RDX505 - RDX508


Battery Chargers



RODEX battery charger can flexibly set different charging voltage of 12-24V, perfect match all types of batteries to 100% full charge, and provide stronger engine start, including automotive deep cycle 12-24 volt sealed lead-acid AGM, gel, flooded batteries, dead batteries, poor starting power and lost performance batteries.

RDX505 - RDX508

Battery	20-120 Ah	30-200 Ah
Output Voltage	12-24V	12-24V
Charging Rate	15A	30A
Net Weight	4,6 KG	7,5 KG
Pcs	2	2





RDX5115

Inverter DC Welding Machine

- » Min - Max current 10-200 A
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø4,0mm** of covered electrodes.
- » Thermal Protection
- » Air Cooler
- » Shoulder Strap

Operating Voltage	230V/50 HZ
Rated Power Input	5.3 KW
Output Current	10-200A
Electrode	Ø1.6 - Ø4 MM
Rated Duty Cycle (%)	60
Insulation Class	F
Efficiency (%)	85
Net Weight	4,7 Kg
Pcs	1

10-200A

IGBT TECHNOLOGY

IP21S



RDX5117

Inverter DC Welding Machine

- » Min - Max current **10-180 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø3,2mm** of covered electrodes.
- » Thermal Protection
- » Air Cooler
- » Shoulder Strap
- » Carry Case

Operating Voltage	230V/50 HZ
Rated Power Input	5.4 kw
Output Current	10-180A
Electrode	Ø1.6 - Ø3.2 mm
Rated Duty Cycle (%)	60
Insulation Class	F
Efficiency (%)	85
Net Weight	5 Kg
Pcs	1

10-180A

IGBT TECHNOLOGY

IP21S



RDX5118

Inverter DC Welding Machine

- » Min - Max current **20-200 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø4,0mm** of covered electrodes.
- » Thermal Protection
- » Air cooler
- » Shoulder Strap

Operating Voltage	230V/50 HZ
Rated Power Input	6.0 kw
Output Current	20-200A
Electrode	Ø1.6 - Ø4 mm
Rated Duty Cycle (%)	60
Insulation Class	H
Net Weight	4 Kg
Pcs	1

20-200A

IGBT TECHNOLOGY

IP21S





RDX5120

Inverter DC Welding Machine

- » Min - Max current **20-250 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø5,0mm** of covered electrodes.
- » Thermal Protection
- » Air cooler
- » Carry Handle

Operating Voltage	230V/50 HZ
Rated Power Input	9,5 kw
Output Current	20-250 A
Electrode	Ø1.6 - Ø5 mm
Rated Duty Cycle (%)	80
Insulation Class	F
Net Weight	14,5 Kg
Pcs	1

20-250 A

IGBT TECHNOLOGY

IP21S



RDX5121

Inverter DC Welding Machine

- » Min - Max current **20-300 A**
- » Digital indicator
- » Provides non-stop welding performance with **Ø1,6mm, Ø5,0mm** of covered electrodes.
- » Thermal Protection
- » Air cooler
- » Carry Handle

Operating Voltage	230V/50 HZ
Rated Power Input	10.5 kw
Output Current	20-300 A
Electrode	Ø1.6 - Ø mm
Rated Duty Cycle (%)	80
Insulation Class	F
Net Weight	6,5 Kg
Pcs	1

20-300 A

IGBT TECHNOLOGY

IP21S



RDX5125

DC MIG/MMA Inverter Welding Machine

- » Min - Max current **50-200 A**
- » Digital indicator
- » Electrode diameter applicable: **Ø0.6 - Ø1.2 mm**
- » Thermal Protection
- » Air cooler
- » Carry Handle


Operating Voltage	230V/50 HZ
Rated Power Input	8.2 KW
Output Current	50-200 A
Wire Diameter	Ø0.6 - Ø1 MM
Rated Duty Cycle (%)	60
Insulation Class	H
Force Range	0-60 A
Net Weight	16 KG
Pcs	1

50-200 A



IGBT TECHNOLOGY

IP21S





RDX5128

DC MIG/MMA Inverter Welding Machine

50-200A **20-200A**
MIG MMA

Operating Voltage	230V/50 HZ
Rated Power Input	6.2 KW
Output Current	MIG: 50-200A MMA: 20-200A
Electrode	Ø1.6 - Ø4 MM
Wire Diameter	Ø0.8 - Ø1 MM
Rated Duty Cycle (%)	30
Insulation Class	F
Efficiency (%)	85
Power Factor	0,73
Net Weight	11,5 KG
Pcs	1



Thermal Protection



IP21S

IGBT TECHNOLOGY




RDX5130

DC MIG/MMA Inverter Welding Machine

50-250A **20-250A**
MIG MMA

Operating Voltage	230V/50 HZ
Rated Power Input	11.3 KW
Output Current	MIG: 50-250A MMA: 20-250A
Wire Diameter	Ø0.6 - Ø1 MM
Rated Duty Cycle (%)	60
Insulation Class	F
Efficiency (%)	85
No-Load Voltage	42
Net Weight	32,1 KG
Pcs	1




Thermal Protection



IP21S

IGBT TECHNOLOGY






RDX5150

Inverter Plasma Cutting Machine

20-40A

Operating Voltage	230V/50 HZ
Rated Power Input	6.6 KW
Output Current	20-40A
Cutting Thickness	<15
Rated Speed	≥1380 r/min
Rated Duty Cycle (%)	60
Insulation Grade	B
Environment	0-40 °C
Motor Temperature	≤50 °C
Net Weight	26 Kg
Pcs	1




20-40A



Cutting Thickness (MM) <15



Air cooler



Carry Handle



ACCESSORIES



IP21S

IGBT TECHNOLOGY



with compressor

RDX5155

Inverter Plasma Cutting Machine

10-40A

Operating Voltage	230V/50 HZ
Rated Power Input	15,2 kw
Maximum cutting thickness	8-12 mm
Output Current	14-40A
Rated Duty Cycle (%)	60
Insulation Class	F
Net Weight	11 kg
Pcs	1



14-100A



Cutting Thickness 8-12mm



DIGITAL DISPLAY




Air cooler



Carry Handle



ACCESSORIES



IP21S

IGBT TECHNOLOGY

RDX5160

Inverter Plasma Cutting Machine

10-40A

Operating Voltage	230V/50 HZ
Rated Power Input	18.3 kw
Maximum cutting thickness	0.1-35 mm
Output Current	25-100A
Rated Duty Cycle (%)	60
Insulation Class	F
Net Weight	29 Kg
Pcs	1



25-200A



Cutting Thickness 8-12mm



DIGITAL DISPLAY



Air cooler



Carry Handle



ACCESSORIES



IP21S

IGBT TECHNOLOGY

RODEX



www.rodexpower.com    /rodextools





RDX724 Air Compressor

1500 Watt ⚡ 2.0 Hp



- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp /1500 W
Tank Capacity	24 Lt
Pressure	8 Bar
Speed	206 L/Min
Net Weight	25,7 Kg
Pcs	1

RDX7204 Air Compressor Oil Free Type

1000 Watt ⚡ 1.5 Hp



- » Transportation Handle
- » Transportation Wheels
- » Dual Output



Power	1,5 Hp / 1100 W
Tank Capacity	50 Lt
Pressure	8 Bar
Speed	200 L/Min
Net Weight	34,6 Kg
Pcs	1

RDX750 Air Compressor

1500 Watt ⚡ 2.0 Hp



- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp /1500 W
Tank Capacity	50 Lt
Pressure	8 Bar
Speed	206 L/Min
Net Weight	32,3 Kg
Pcs	1

RDX790 Air Compressor

1500 Watt ⚡ 2.0 Hp



- » Copper Winding engine for fast operations and long life
- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp /1500 W
Tank Capacity	100 Lt
Pressure	8 Bar
Speed	250 L/Min
Net Weight	79 Kg
Pcs	1



RDX796 Air Compressor

2200 Watt ⚡ **3.0** Hp

Power	3.0 HP / 2200 W
Tank Capacity	200 Lt
Pressure	8 BAR
Speed	298 L/Min
Net Weight	120 KG
Pcs	1



Enables very fast tank filling with 3 HP power engine

Faster cooling and less noise thanks to the pulley system


Copper Winding engine for fast operations and long life

COPPER WINDING MOTOR

200 LT
Tank Capacity


Durable cast tank

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.



RDX792 Air Compressor

1500 Watt ⚡ **2.0** Hp



- » Copper Winding engine for fast operations and long life
- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp / 1500 W
Tank Capacity	100 Lt
Pressure	8 Bar
Speed	250 L/Min
Net Weight	85 Kg
Pcs	1

RDX794 Air Compressor

1500 Watt ⚡ **2.0** Hp




- » Copper Tube Blower
- » Transportation Handle
- » Transportation Wheels
- » Dual Output

Don't use without engine oil.
Use 10/40 or 20/50 Engine Oil.

Power	2,0 Hp / 1500 W
Tank Capacity	200 Lt
Pressure	8 Bar
Speed	250 L/Min
Net Weight	126 Kg
Pcs	1




RDX0125 Air Impact Wrench




Hammer System	One Hammer
Length	180 MM
Bolt Capacity	16 MM
Square Drive	1/2"
Maximum Torque	312 NM
Speed	7000 RPM
Hose Diameter	10 M
Air Inlet	1/4"
Air Consumption	120 L/min
Work Pressure	90 psi (6.2 atm)
Net Weight	4,1 KG
Pcs	5

RDX0135 Air Nailer Gun




Nail Capacity	10-50 MM
Magazine Capacity	100 Pcs
Air Inlet	1/4"
Pressure	4-8 BAR
Net Weight	1,9 KG
Pcs	10

RDX0116 Air Stapler Gun





Staple Capacity	6-16 MM
Magazine Capacity	140 Pcs
Air Inlet	1/4"
Pressure	3,5-5 BAR
Net Weight	1,3 KG
Pcs	10

RDX0130 Air Nailer Gun



Nail Capacity	10-30 MM
Magazine Capacity	100 Pcs
Air Inlet	1/4"
Pressure	4-8 BAR
Net Weight	1,5 KG
Pcs	10


RDX0128 Air Nail & Stapler Gun



Magazine system that provides very easy charge and discharge of nails.

Nail Capacity	10-25 MM
Magazine Capacity	100 Pcs
Air Inlet	1/4"
Pressure	3,5-7 BAR
Net Weight	1,3 KG
Pcs	10

RDX0120 Air Stapler Gun



Staple Capacity	6-16 MM
Magazine Capacity	140 Pcs
Air Inlet	1/4"
Pressure	4-6 BAR
Net Weight	1,0 KG
Pcs	10



RDX92000E

Gasoline Generators

2.0 KW ⚡



Monophase



Maximum Power	2.7 KVA / 2.2 KW
Continuous Power	2.5 KVA / 2.0 KW
Voltage	220 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	66 dB
N.W / G.W	41.16 / 43.44 KG

RDX92000R

Gasoline Generators

2.0 KW ⚡



Monophase



Maximum Power	2.7 KVA / 2.2 KW
Continuous Power	2.5 KVA / 2.0 KW
Voltage	220 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	66 dB
N.W / G.W	37 / 35 KG

RDX92800E

Gasoline Generators

2.8 KW ⚡



Monophase



Maximum Power	3.7 KVA / 3 KW
Continuous Power	3.5 KVA / 2.8 KW
Voltage	220 W
Power Factor	0,8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	76 dB
N.W / G.W	45.2 / 47.5 KG

RDX92800R

Gasoline Generators

2.8 KW ⚡



Monophase



Maximum Power	3.7 KVA / 3 KW
Continuous Power	3.5 KVA / 2.8 KW
Voltage	220 W
Power Factor	0,8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	170F
Starting System	Recoil
Fuel Type	Unleaded Gasoline
Fuel Tank	15 Lt
Fuel Consumption	1.13Lt/H
Engine Oil	20/50 - Sae30
Sound Level	76 dB
N.W / G.W	38.5/40.8 KG




RDX95000E3

Gasoline Generators

5.0 KW



Maximum Power	6.8 KVA / 5.5 KW
Continuous Power	6.2 KVA / 5.0 KW
Voltage	220 / 380 W
Power Factor	0,8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	74.02 / 84.36 KG



RDX95000E

Gasoline Generators

5.0 KW



Maximum Power	6.8 KVA / 5.5 KW
Continuous Power	6.2 KVA / 5.0 KW
Voltage	220 W
Power Factor	0,8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	73.84 / 84.08 KG

RDX96000E

Gasoline Generators

6.0 KW



Maximum Power	8.1 KVA / 6.5 KW
Continuous Power	7.5 KVA / 6.0 KW
Voltage	220 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	75.56 / 85.56 KG




RDX96000E3

Gasoline Generators

6.0 KW



Maximum Power	8.1 KVA / 6.5 KW
Continuous Power	7.5 KVA / 6.0 KW
Voltage	220 / 380 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	190F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	2.70Lt/H
Engine Oil	20/50 - Sae30
Sound Level	68 dB
N.W / G.W	75.84 / 86.2 KG



RDX97000E

Gasoline Generators

7.0 KW



Monophase




Maximum Power	9.4 KVA / 7.5 KW
Continuous Power	8.8 KVA / 7.0 KW
Voltage	220 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	192F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	3.50Lt/H
Engine Oil	20/50 - Sae30
Sound Level	78 dB
N.W / G.W	77.42 / 88.08 KG

RDX97000E3

Gasoline Generators

7.0 KW



Monophase
Triphase



Maximum Power	9.4 KVA / 7.5 KW
Continuous Power	8.8 KVA / 7.0 KW
Voltage	220 / 380 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke
Engine Type	192F
Starting System	Recoil / Electric Starter
Fuel Type	Unleaded Gasoline
Fuel Tank	25 Lt
Fuel Consumption	3.50Lt/H
Engine Oil	20/50 - Sae30
Sound Level	78 dB
N.W / G.W	78.54 / 89.06 KG



RDX96500DE

Diesel Generator

6,5 KW



Monophase




Maximum Power	8.1 KVA / 6.5 KW
Continuous Power	7.5 KVA / 6.0 KW
Voltage	220 W
Power Factor	1 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Type	YM192F
Starting System	Recoil / Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	13.5 Lt
Fuel Consumption	2,5 Lt/H
Engine Oil	SAE 10W-30,15W-40
Sound Level	77 dB
N.W / G.W	115/120 KG

RDX96500DE3

Diesel Generator

6,5 KW



Monophase
Triphase



Maximum Power	8.1 KVA / 6.5 KW
Continuous Power	7.5 KVA / 6.0 KW
Voltage	220 / 380 W
Power Factor	0.8 (COS Ø)
Engine	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Type	192FD
Starting System	Recoil / Electric Starter
Fuel Type	Euro Diesel
Fuel Tank	13.5 Lt
Fuel Consumption	2.5 Lt/H
Engine Oil	SAE 10W-30,15W-40
Sound Level	77 dB
N.W / G.W	115/120 KG






RDX135E

Diesel Tillers

10,0 Hp

Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Power	10 Hp
Starting System	Recoil-Electric Starter
Operation Type	Gear Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Euro Diesel
Engine Oil	20/50-Sae30
Fuel Tank	5 L
Working Depth	30 CM
Working Width	80-130 CM
Amount of Blades	40 Pcs
Rubber Wheel	500-12
Net Weight	209,5 KG




RDX105E

Diesel Tillers

7,0 Hp

Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Direct Injection Diesel
Engine Power	7 Hp
Starting System	Recoil-Electric Starter
Operation Type	Gear Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Euro Diesel
Engine Oil	20/50-Sae30
Fuel Tank	3,5 L
Working Depth	30 CM
Working Width	80-130 CM
Amount of Blades	32 Pcs
Rubber Wheel	500-12
Net Weight	189,5 KG






RDX075

Gasoline Tillers

5,5 Hp

Engine Type	OHV Single Cylinder, Air Cooled, 4 Stroke
Engine Power	5,5 Hp
Starting System	Recoil Starter
Operation Type	Belt Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Gasoline
Engine Oil	20/50-Sae30
Fuel Tank	3,5 L
Working Depth	30 CM
Working Width	60-90 CM
Amount of Blades	24 Pcs
Rubber Wheel	400-8
Net Weight	79,5 KG




RDX100

Gasoline Tillers

6,5 Hp

Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	6,5 Hp
Starting System	Recoil Starter
Operation Type	Gear Transmission
Movement Type	2 Forward - 1 Backward
Fuel Type	Gasoline
Engine Oil	20/50-Sae30
Fuel Tank	3,5 L
Working Depth	30 CM
Working Width	110 cm
Amount of Blades	32 Pcs
Rubber Wheel	400-8
Net Weight	127,5 KG





RDX9690

Gasoline Ground Drill

2,0 Hp



Convenient and Easy Operation



Drills ground without Pressure with 9.5 kgs of weight

Ergonomic Handles reduce the hand exhaustion by easy grab.



2 HP Double Segman Two Stroke Powerful Engine



Steel structure that protects machine frame.

Engine Power	2 HP / 52 CC
Drill Diameter	80 / 200 MM
Speed	6500 RPM
Fuel Tank	1 L
Engine Oil	20/50-Sae30
Net Weight	10KG
Pcs	1

Excluding the auger type is Ideal for use for drill works about vine stock, general plants, greenhouse or fence supports, road lightening.

Ground Drill Bits

CODE	DIA	LENGHT	PCS
RDY160	80 MM	740 MM	1
RDY161	100 MM	740 MM	1
RDY162	150 MM	740 MM	1
RDY163	200 MM	740 MM	1
RDY164 Adapter	30 MM	345 MM	10



RODEX



www.rodexpower.com    /rodextools





RDX716

High Pressure Washer

3200 Watt

DAILY 4 CAR




Power	3200 W
Work - Maximum Pressure	150 - 225 BAR
Maximum Flow Speed	9,3 L/Min
Hose Length	5 M
Net Weight	30,1 KG
Pcs	1

RDX715

High Pressure Washer

3200 Watt

DAILY 4 CAR



Power	2700 W
Work - Maximum Pressure	130 - 195 BAR
Maximum Flow Speed	9,3 L/Min
Hose Length	5 M
Net Weight	28 KG
Pcs	1

RDX712M

High Pressure Washer

2100 Watt

DAILY 4 CAR




Power	2100 W
Work - Maximum Pressure	110 - 165 BAR
Maximum Flow Speed	7,5 L/Min
Hose Length	5 M
Net Weight	19 Kg
Pcs	1

RDX712

High Pressure Washer

2100 Watt

DAILY 4 CAR



Power	2100 W
Work - Maximum Pressure	110 - 165 BAR
Maximum Flow Speed	7,5 L/Min
Hose Length	5 M
Net Weight	17 Kg
Pcs	1



RDX7115

High Pressure Washer

1900 Watt




Power	1900W
Maximum Pressure	110 - 160 BAR
Maximum Flow Speed	7.4 L/Min
Hose Length	5 M
Net Weight	8,7 Kg
Pcs	1

RDX711

High Pressure Washer

1700 Watt




Power	1700W
Maximum Pressure	100 - 150 BAR
Maximum Flow Speed	6,6L/Min
Hose Length	5 M
Net Weight	8,5 Kg
Pcs	1

RDX710

High Pressure Washer

1600 Watt

DAILY 1 CAR



Power	1600 W
Maximum Pressure	90 - 135 BAR
Maximum Flow Speed	6,8 L/Min
Hose Length	5 M
Net Weight	6,4 Kg
Pcs	1

RDX7111

High Pressure Washer

1500 Watt



Power	1500 W
Maximum Pressure	100 BAR
Maximum Flow Speed	580 L/H.
Hose Length	5 M
Net Weight	25 Kg
Pcs	1



RDX7190

Gasoline Pressure Washer

7,0 Hp

3000 PSI

- » POWERFUL 7,0 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load

Power	7.0 Hp / 5.2 KW
Maximum Pressure	207 Bar
Maximum Flow Speed	720 L/H
Hose Length	10 m
Net Weight	40 Kg
Pcs	1



RDX7185

Gasoline Pressure Washer

6,5 Hp

3000 PSI

- » POWERFUL 6,5 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load



Power	6.5 Hp / 4.8 KW
Maximum Pressure	175 Bar
Maximum Flow Speed	690 L/H
Hose Length	10 m
Net Weight	36 Kg
Pcs	1

RDX7180

Gasoline Pressure Washer

5,5 Hp

2200 PSI

- » POWERFUL 5,5 Hp OHV engine delivers maximum cleaning performance
- » Clean smarter. Clean up to 50% faster.
- » Power Dial ergonomic spray gun allows you to easily adjust the pressure needed between four different tasks - car, wood, concrete and soap - at your fingertips
- » Integrated spray gun holder holds spray gun securely during transport and storage
- » Quick change nozzle tips 0°, 25°, 40° and soap
- » Power Source Type: Gas Powered
- » Welded steel construction frame and premium pneumatic wheels for easy transport, set-up and load



Power	5.5 Hp / 4.2 KW
Maximum Pressure	154 Bar
Maximum Flow Speed	580 L/H
Hose Length	7.5 m
Net Weight	31 Kg
Pcs	1

RODEX



www.rodexpower.com    /rodextools






RDX040

Gasoline Water Pump


7,0 Hp

Engine Power	7,0 HP
Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
In-out Diameter	100 MM (4")
Max Water	20 M
Suction Length	7 M
Capacity	1250 L / Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	28 KG
Pcs	1



RDX030


Gasoline Water Pump



Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	6,5 HP
In-out Diameter	80 MM (3")
Max Water	26 M
Suction Length	7 M
Capacity	1000 L / Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	25 KG
Pcs	1

RDX020


Gasoline Water Pump



Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	6,5 HP
In-out Diameter	50 mm(2")
Max Water	23 M
Suction Length	7 M
Capacity	500 L/Min.
Fuel Tank	3,6 L
Engine Oil	20/50-Sae30
Net Weight	24 KG
Pcs	1

RDX010

Gasoline Water Pump



Engine Type	OHV, Single Cylinder, Air Cooled, 4 Stroke
Engine Power	1,2 HP
In-out Diameter	25 mm(1")
Max Water	30 M
Suction Length	8 M
Capacity	133 L/Min.
Fuel Tank	1,1 L
Engine Oil	20/50-Sae30
Net Weight	8,2 KG
Pcs	1




RDX064

Diesel Water Pump


9,0 Hp

Engine Power	9,0 HP
Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
In-out Diameter	100 MM (4")
Max Water	25 M
Suction Length	7 M
Capacity	1000 L / Min.
Fuel Tank	5,5 L
Engine Oil	20/50-Sae30
Net Weight	65 KG
Pcs	1



RDX063


Diesel Water Pump



Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
Engine Power	5,2 HP / 3,8 KW
In-out Diameter	80 MM (3")
Max Water	28 M
Suction Length	7 M
Capacity	600 L / Min.
Fuel Tank	3,5 L
Engine Oil	20/50-Sae30
Net Weight	45 KG
Pcs	1

RDX053


Diesel Water Pump



Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
Engine Power	5,2 HP / 3,4 KW
In-out Diameter	80 MM (3")
Max Water	28 M
Suction Length	7 M
Capacity	600 L / Min.
Fuel Tank	3,5 L
Engine Oil	20/50-Sae30
Net Weight	45 KG
Pcs	1

RDX052

Diesel Water Pump



Engine Type	Single Cylinder, Air Cooled, 4 Stroke, Diesel Engine
Engine Power	3,4 HP / 2,5 KW
In-out Diameter	50 MM (2")
Max Water	25 M
Suction Length	7 M
Capacity	367 L / Min.
Fuel Tank	2,5 L
Engine Oil	20/50-Sae30
Net Weight	35 KG
Pcs	1



RDX8151

Clean Water Submersible Pump

900 Watt

- » 15 Tons of water drainage per hour
- » 10 mt. Cable for deep wells.
- » 9.5M height flowage capacity
- » Floater stops the pump automatically when the water runs out.

Power	900 W
Maximum Height	10 M
Capacity	15000 L/H
Hose Connection	3/4" -1 1/4"
Cable Length	10 M
Weight	5.45 KG - 4.6 KG
Pcs	4

AUTOMATIC FLOAT SWITCH

Floater stops the pump automatically when the water runs out.



RDX814

Clean Water Submersible Pump

400 Watt



Power	400 W
Maximum Height	8 M
Capacity	7000 L/H
Hose Connection	3/4" -1 1/4"
Cable Length	10 M
Weight	4 KG - 3,4 KG
Pcs	4

RDX845

Clean Water Submersible Pump

800 Watt



Power	800 W
Maximum Height	30 M
Capacity	90 L/Min.
Hose Connection	3/4" -1 1/4"
Cable Length	10 M
Weight	7,5 KG - 6,2 KG
Pcs	4



RDX8318

Clean Water Submersible Pump

370 Watt



Power	370 W
Maximum Height	19 M
Capacity	75 L/Min.
Hose Connection	1"
Cable Length	8 M
Net Weight	9 KG
Pcs	1

RDX8325

Clean Water Submersible Pump

550 Watt



Power	550 W
Maximum Height	26 M
Capacity	100 L/Min.
Hose Connection	1"
Cable Length	8 M
Net Weight	11,1 KG
Pcs	1

RDX8332

Clean Water Submersible Pump

750 Watt



Power	750 W
Maximum Height	33 M
Capacity	125 L/Min.
Hose Connection	1"
Cable Length	8 M
Net Weight	12,2 KG
Pcs	1

RDX835

Clean Water Submersible Pump

1100 Watt



Power	1100 W
Maximum Height	40 M
Capacity	60 L/Min.
Hose Connection	1"
Cable Length	9 M
Net Weight	16,3 KG
Pcs	1



RDX8391

Dirty Water Submersible Pump


900 Watt

- » 17 Tons of water drainage per hour
- » 10 mt. Cable for deep wells.
- » 9.5M height flowage capacity
- » Floater stops the pump automatically when the water runs out.

Power	900 W
Maximum Height	9 M
Capacity	17000 L/H
Hose Connection	3/4" -1 1/4"
Cable Length	10 M
Weight	5.02 KG - 4.6 KG
Pcs	4

AUTOMATIC FLOAT SWITCH

Floater stops the pump automatically when the water runs out.



RDX840

Clean / Dirty Water Submersible Pump

1100 Watt



Power	1100 W
Maximum Height	11 M
Capacity	155000 L/Min.
Hose Connection	3/4" -1 1/4"
Cable Length	10 M
Net Weight	7,35 Kg
Pcs	4

RDX8421

Submersible Sewage Pump

1100 Watt



Power	1100 W
Maximum Height	8 M
Capacity	1.5m³ L/H.
Hose Connection	2"
Cable Length	6 M
Net Weight	15,7 Kg
Pcs	1



RDX858 Pump Regulator



- » 1 m cable
- » Barometer

Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP44
Net Weight	1.25 KG
Pcs	12

RDX852 Pump Regulator



- » Barometer

Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP54
Net Weight	1,04 KG
Pcs	12

RDX855 Pump Regulator



Voltage	220V
Work Pressure	1.5 - 2.2 Bar
In-Out Diameter	25mm 1"
Protection Class	IP65
Net Weight	1,45 KG
Pcs	12

RDX892 Circulation Pumps



- » Three speeds control
- » The pump runs almost silently
- » Small dimensions
- » Low power consumption
- » Insulation class: H
- » Pump housing: Cast Iron; Impeller: Corrosion-resistant, Composite, PES ;Shaft: Ceramic; Bearing: Carbon axial

Power	93/67/46 W
Maximum Head	6/5/3 M
Hose Connection	25mm 1,5"
Capacity	65/52/33 Lt/Min.
Net Weight	2,7 KG
Pcs	8

RDX893 Circulation Pumps



- » Three speeds control
- » The pump runs almost silently
- » Small dimensions
- » Low power consumption
- » Insulation class: H
- » Pump housing: Cast Iron; Impeller: Corrosion-resistant, Composite, PES ;Shaft: Ceramic; Bearing: Carbon axial

Power	120/93/67 W
Maximum Head	7/6/5,5 M
Hose Connection	25mm 1,5"
Capacity	68/55/45 Lt/Min.
Net Weight	3,45 KG
Pcs	4

RDX894 Circulation Pumps



- » Three speeds control
- » The pump runs almost silently
- » Small dimensions
- » Low power consumption
- » Insulation class: H
- » Pump housing: Cast Iron; Impeller: Corrosion-resistant, Composite, PES ;Shaft: Ceramic; Bearing: Carbon axial

Power	120/93/67 W
Maximum Head	7/6/5,5 M
Hose Connection	50mm - 2"
Capacity	68/55/45 Lt/Min.
Net Weight	3,75 KG
Pcs	4




RDX878

Garden Water Pump

750 Watt

- » Powerful Suction: 1.0 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 30M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.

Power	750 W / 1.0 HP
Maximum Height	30 M
Maximum Suction	9 M
Hose Connection	1"
Capacity	120 Lt/Min.
Net Weight	11,9 KG
Pcs	1



RDX880

Garden Water Pump

1100 Watt



- » Powerful Suction: 1.5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 16M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

Power	1100 W / 1,5 HP
Maximum Height	16 M
Maximum Suction	9 M
Hose Connection	2" X 2"
Capacity	350 Lt/Min.
Net Weight	20 KG
Pcs	1

%100 Copper Engine

100% Brass

RDX871

Garden Water Pump Stainless steel

800 Watt



- » Powerful Suction: 800 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 38M deep.
- » Corrosion-resistant **stainless steel** construction extends product life and is easy to clean.

Power	800 W / 0.5 Hp
Maximum Height	38 M
Maximum Suction	8 M
Hose Connection	1" X 1"
Capacity	58 Lt/Min.
Net Weight	8,5 KG
Pcs	1

%100 Copper Engine

100% Brass



RDX873

Garden Water Pump

370 Watt



- » Powerful Suction: 0,5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 35M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

Power	370 W / 0,5HP
Maximum Height	35 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	35 Lt/Min.
Net Weight	5,08 KG
Pcs	6

%100 Copper Engine



RDX874

Garden Water Pump

750 Watt



- » Powerful Suction: 1.0 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 60M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

Power	750 W / 1,0 HP
Maximum Height	60 M
Maximum Suction	8 M
Hose Connection	1" X 1"
Capacity	50 Lt/Min.
Net Weight	8,5 KG
Pcs	1

%100 Copper Engine



RDX875

Garden Water Pump

1100 Watt



- » Powerful Suction: 1,5 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 45M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

Power	1100 W / 1,5HP
Maximum Height	45 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	60 Lt/Min.
Net Weight	16,8 KG
Pcs	1

%100 Copper Engine



RDX876

Garden Water Pump


750 Watt



- » Powerful Suction: 1.0 HP electric motor can provide high flow rate with strong suction power, designed for wells up to 30M deep.
- » Durable Cast Iron Volute: Exquisite craftsmanship and rugged cast **iron casing** ensure durability and high performance of this well sealed pump.

Power	750 W / 1,0 HP
Maximum Height	30 M
Maximum Suction	9 M
Hose Connection	1" X 1"
Capacity	120 Lt/Min.
Net Weight	15,3 KG
Pcs	1

%100 Copper Engine






RDX8804

Deep Well Pump

1100 Watt

Power	1100 W / 1.5 Hp
Maximum Height	149 M
Capacity	3.3m ³ /H
Hose Connection	1" - 25mm
Cable Length	2M
Size	100x1164 mm
Net Weight	18,10 KG
Pcs	1



High-quality Material
The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.

Suction center
High strength anti-sand fluid components can applied to harsh working conditions.

The hermetically sealed motor is thermally protected to prevent overheating.



RDX8803

Deep Well Pump

550 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	550 W / 0.75 Hp
Maximum Height	89 M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	1.5 M
Size	75x1062mm
Net Weight	10,40 KG
Pcs	1



RDX8823

Deep Well Pump

750 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	750 W / 1.0 Hp
Maximum Height	115M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	1.7M
Size	75x1238mm
Net Weight	11,80 KG
Pcs	1






RDX8844

Deep Well Pump

2200 Watt


Power	2200 W / 3.0 Hp
Maximum Height	262M
Capacity	3.3m ³ /H
Hose Connection	1" - 25mm
Cable Length	2.8M
Size	100x1709mm
Net Weight	28,20 KG
Pcs	1



High-quality Material
The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.

Suction center
High strength anti-sand fluid components can applied to harsh working conditions.

The hermetically sealed motor is thermally protected to prevent overheating.



RDX8843

Deep Well Pump

1100 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	1100 W / 1.5 Hp
Maximum Height	162M
Capacity	2.7m ³ /H
Hose Connection	1" - 25mm
Cable Length	2M
Size	75x1594mm
Net Weight	15,70 KG
Pcs	1



RDX8824

Deep Well Pump

1500 Watt

- » The submersible well pump comprises 304 stainless steel and a built-in check valve, rust-proof and corrosion-proof. You can get our durable and sturdy pump for a long time use.
- » High strength anti-sand fluid components can applied to harsh working conditions.
- » The hermetically sealed motor is thermally protected to prevent overheating.

IP54

Power	1500 W / 2.0 Hp
Maximum Height	198M
Capacity	3.3m ³ /H
Hose Connection	1" - 25mm
Cable Length	2.4M
Size	100x1385mm
Net Weight	22,10 KG
Pcs	1





RDX8634

Jet Pump with Pressure Tank

400 Watt

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	400W
Maximum Height	35 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	2 m ³ /H
Net Weight	8,4 KG
Pcs	1



RDX8636

Jet Pump with Pressure Tank

600 Watt

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	600W
Maximum Height	45 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	2.8 m ³ /H
Net Weight	11,4 KG
Pcs	1



RDX8638

Jet Pump with Pressure Tank

800 Watt

- » Durable Cast Iron Body: Exquisite craftsmanship and rugged cast iron casing ensure durability and high performance of this well sealed pump.
- » Class B insulation
- » Equipped with built-in thermal protection
- » Impeller made of brass
- » Small dimensions

Power	800W
Maximum Height	55 M
Maximum Suction	8 M
Pressure	1,5 - 3 BAR
Hose Connection	1" x 1"
Capacity	3 m ³ /H
Net Weight	12,6 KG
Pcs	1





RDX847

Jet Pump with Pressure Tank

750 Watt

» 1.0 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 45M

» Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.

» Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	750 W / 1.0 HP
Maximum Height	45 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	55 L / Min.
Net Weight	19 KG
Pcs	1



RDX849

Jet Pump with Pressure Tank

1100 Watt

» 1.5 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 50M

» Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.

» Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	1100 W / 1.5 HP
Maximum Height	50 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	60 L / Min.
Net Weight	19 KG
Pcs	1



RDX850

Jet Pump with Pressure Tank

1200 Watt

» 1.0 HP Shallow well jet with tan, designed for residential applications to deliver potable water to the home, cottage or farm from a well with a maximum vertical lift of 45M

» Rugged cast iron construction; Tough thermoplastic impeller and glass filled thermoplastic diffuser.

» Continuous duty, thermally protected split capacitor motor; Dual voltage motor.

Power	1200 W / 1.0 HP
Maximum Height	45 M
Maximum Suction	8 M
Pressure	1,8 - 3 BAR
Hose Connection	1"
Capacity	55 L / Min.
Net Weight	13,7 KG
Pcs	1






RDX2503 Gasoline Chain Saw

58 CC ⚡ 3.0 Hp

50 Cm Professional Guide Bar Hardened With Induction System.



Power	58 CC / 3,0 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,64 KG
Pcs	4




RDX2504 Gasoline Chain Saw

58 CC ⚡ 3.8 Hp

50 Cm Professional Guide Bar Hardened With Induction System.



Power	58 CC / 3,8 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,67 KG
Pcs	4




RDX2502 Gasoline Chain Saw

58 CC ⚡ 3.8 Hp

45 Cm Professional Guide Bar Hardened With Induction System.



Power	58 CC / 3,8 Hp
Cutting Length	450MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7 KG
Pcs	4






RDX258 Gasoline Chain Saw

58 CC ⚡ **3.8 Hp**

50 Cm Professional Guide Bar Hardened With Induction System.



Power	58 CC / 3,8 Hp
Cutting Length	500MM
Chain	38 Teeth
Fuel Tank	550 ML
Oil Tank	260 ML
Net Weight	7,37 KG
Pcs	4




RDX906 Electric Chain Saw

2400 Watt ⚡



Power	2400 W
Speed	13.1 M/S
Cutting Length	400MM
Chain	28,5 Teeth
Net Weight	6,0 KG
Pcs	2
Chain Lubrication System	Yes




RDX9055 Electric Chain Saw

2000 Watt ⚡



Power	2000 W
Speed	15 M/S
Cutting Length	400MM
Chain	28,5 Teeth
Net Weight	5,60 KG
Pcs	2
Chain Lubrication System	Yes





RDX9648

Gasoline Lawn Mower

5,5Hp ⚡ 173CC



Power	173 CC / 5,5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM (5 Stages)
Drive Type	Self Propelled / Hand Push
Collection Bag	70 Lt
Fuel Tank	1500 ML
Oil Capacity	600 ML
Net Weight	36,6 KG
Pcs	1

RDX9645

Gasoline Lawn Mower

5,5Hp ⚡ 163CC



Power	163 CC / 5,5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM
Drive Type	Hand Push
Collection Bag	70 Lt
Fuel Tank	1500 ML
Oil Capacity	600 ML
Net Weight	34,2 KG
Pcs	1

RDX9640

Gasoline Lawn Mower

4,0Hp ⚡ 139CC



Power	139 CC / 4,0Hp
Blade Size	460 MM
Cutting Height	25 - 76 MM (5 Stage)
Drive Type	Hand Push
Collection Bag	55 LT
Fuel Tank	1200 ML
Oil Capacity	600 ML
Net Weight	30,8 KG
Pcs	1

RDX9650

Gasoline Lawn Mower

6,5Hp ⚡ 161CC



Power	B&S Motor 750EX 161 CC / 6.5Hp
Blade Size	510 MM
Cutting Height	30 - 80 MM
Drive Type	Self Propelled / Hand Push
Collection Bag	55 Lt
Fuel Tank	1000 ML
Oil Capacity	600 ML
Net Weight	38 KG
Pcs	1



RDX938

Electric Lawn Mower

1600 Watt



Power	1600 W
Blade Size	380 MM
Cutting Height	28 - 68 MM
Collection Bag	50 Lt
Net Weight	19,5 KG
Pcs	1

RDX934

Electric Lawn Mower

1000 Watt



Power	1000 W
Blade Size	340 MM
Cutting Height	30-64 MM
Collection Bag	30 Lt
Net Weight	19,5 KG
Pcs	1

RDX932

Electric Lawn Mower

1000 Watt



Power	1000 W
Blade Size	320 MM
Cutting Height	25-55 MM
Collection Bag	35 Lt
Net Weight	16,4 KG
Pcs	1





RDX923

Sheep Clipper

500 Watt

Offers the opportunity to work-tirelessly with balanced weight distribution.



ON-OFF Switch

Cooling ribs with special filters prevent unwanted materials going inside the machine and minimizes the heating.

More fleece wool can be obtained by slim cut feature. 80 mm blade provides faster cutting




Electronic Speed Adjustment



Provides long lasting works with its constant cycle structure

Enables easy cut with its strengthened blades. No pulling or tattering. Blade frame and protective part minimize the sheepskin injuries.



RDY902
Spare Blade



Metal Body



Carry Case

RODEX Professional electrical sheep clipper provides perfect and fast cut with its 500 watt cutting power. Provides easy working environment with its long cable.

Power	500 W
Blade	80 MM
Speed	0-2400 RPM
Net Weight	3,4 KG
Pcs	5





RDX9625

Gasoline Hedge Trimmer

1,2 Hp ⚡ **25,4 cc**

Power	25,4 CC / 1,2 HP
Blade Width	600 MM
Cutting Capacity	Ø 28 MM
Fuel Tank	600 ML
Engine Oil	20/50 SAE30
Net Weight	8,50 KG
Pcs	1

Double Blade Technology
Specifically designed to achieve the best results on cutting and trimming chores

Secondary hand-arm
Lets you do your job effortlessly with its ergonomic handle design and perfect balance.

25.4 CC / 1.2 HP Powerful Engine
Lets you work easily on long-running chores with its doubled time power engine.



Vibration Inhibitor System
Engineering marvel coil systems reduce the engine vibration to minimal.

Special Handle Design
rotates 90° left and right

RDX9255

Electric Hedge Trimmer

600 Watt ⚡

500 MM cutting blades
Laser cut blades for clean and precise trimming.
16mm thick branches cut capacity

Mandatory switch setting
provides maximum safety.

600 Watt motor
tackle tough trimming tasks

Easy use with 5 kg
ultra light compact structure

Special Handle Design
rotates 90° left and right



Power	600 W
Blade Width	500 MM
Cutting Capacity	Ø 16 MM
Speed	1650 RPM
Net Weight	4 KG
Pcs	2



RDX9619

2 in 1 Battery Sprayer (Cordless & Manual Type)

12 VOLT  **8** AH



2in1

Usable with

BATTERY & MANUAL

4 DIFFERENT NOZZLE OPTIONS





Spraying Length of more than 5 mt. with 220 cm Pipe and Hose

Adjustable/Telescopically Stainless Steel Pipe

RQDEX Battery Sprayer features a 16 L large capacity water tank and a 4" wide mouth opening for easier pouring and mixing solution.

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	5,8 KG
Pcs	1

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:
Short trees, greenhouses, plant protection, insecticides and environmental disinfection etc.

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.
- **2in1** Usable with **Battery** and **Manual**.



RDX9617 Battery Sprayer

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:

Short trees, greenhouses, plant protection, insecticides and environmental disinfection etc.

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	5,25 KG
Pcs	1

12 VOLT ⚡ 8 AH



○ Spraying Length of more than 5 mt. with 220 cm Pipe and Hose

○ Adjustable/Telescopically Stainless Steel Pipe



4 DIFFERENT NOZZLE OPTIONS



RDX9618 Battery Sprayer

Product Features

- Adjustable/telescopically stainless steel pipe
- Spraying length of more than 5 M with 220 CM pipe and hose
- With 3 different plastic nozzle
- With 5 hole flower nozzle
- Quiet and powerful cordless motor
- Backpack holder option
- Adjustable spray speed with regulator.

Ideal for chemical liquid spraying for agricultural spraying and disinfection.

The following areas:

Short trees, greenhouses, plant protection, insecticides and environmental disinfection etc.

Power	12 VDC - 8 Ah
Chemical Tank	16 L
Disinfection Distance (Horizontal)	5 M
Battery Type	12V - 8Ah
Pressure	0,15 - 0,55 Mpa
Charge Time	8 Hours
Continuous Work	6 Hours
Net Weight	4,8 KG
Pcs	1

12 VOLT ⚡ 8 AH



○ Spraying Length of more than 5 mt. with 220 cm Pipe and Hose

○ Adjustable/Telescopically Stainless Steel Pipe



4 DIFFERENT NOZZLE OPTIONS





RDX9610 Gasoline Pump Sprayer

26CC ⚡ **0,84Hp**

25 Lt Big Chemical Tank

25 Lt Big Chemical Tank
Having a big chemical tank increases the square meter of the area that will be applied chemical at one shot and provides time-fuel saving.

Chemical tank strainer
Prevents damages that may happen while filling the chemical, by straining it to filtrate solid particles

Mono or triple sprinkler options.

Power	26 CC / 0,84 HP
Chemical Tank	25 L
Disinfection Distance (Horizontal)	Adjustable
Spray Rate	6 L/Min.
Fuel Tank Cap.	0,61 L
Net Weight	12,3 KG
Pcs	1

4 STROKE
25cc Power engine

Adjustable Spray Gun

Provides long distance spraying when the gun lever turned left and short distance spraying when turned right.



RDX9614 Gasoline Pump Sprayer

50CC ⚡ **2.9 Hp**



Power	50CC / 2.9HP
Chemical Tank	14 LT
Disinfection Distance (Horizontal)	12 M
Spray Rate	14 M
Fuel Tank Cap.	1.35 ML
Net Weight	10.5 KG
Pcs	1

RDX9620 Gasoline Pump Sprayer

50CC ⚡ **2.9 Hp**



Power	50CC / 2.9HP
Chemical Tank	20 Lt
Disinfection Distance (Horizontal)	12 M
Spray Rate	14 M
Fuel Tank Cap.	1.35 ML
Net Weight	13 KG
Pcs	1



RDX915 Electric Grass Trimmer

450 W

Power	450 W
Cutting Diameter	350 MM
Line Diameter	1,6 MM
Speed	8500 RPM
Net Weight	2,77 KG
Pcs	4

Side wheel Keeps the trimmer line distance and works as a leading string

Adjustable second handle, helps to keep the weight balance by being adjusted according to arm holding distance.

Ergonomic Design

Extendable Arm

Strong Metal Body

450 Watt Power Engine.

350MM Cutting Diameter



RDX912 Electric Grass Trimmer

280 W

Power	280 W
Cutting Diameter	250 MM
Line Diameter	1,2 MM
Speed	11000 RPM
Net Weight	1,55 KG
Pcs	15

Ultra Light Weight
1.5 kg ultra light product will not tire your arms on long-lasting operations

Ergonomic Design

Superior usage thanks to its light-bodied engine and superior tool balance.

250 mm cutting diameter.

280 Watt Power Engine
11.000 RPM enables faster and cleaner lawn mowing.



RDX9633

Gasoline Grass Trimmer


52 CC  **1,6 Hp**



2 Stroke Power Engine
1.9 HP high torque engine works with maximum performance while trimming grass, branch, turf etc.

Long lasting air filter system
It increases the lifetime of the engine remarkably.

Everything is within reach
Fits perfectly in user's hands because of its ergonomic structure. Automatic shut down when the trigger is released. Practical because of its trigger lock system on longlasting works. The engine could easily be stopped with the on-off button on the handle whenever required



Easy On Technology, Easy Operation


Adjustable Handlebars
Bicycle type handlebar used with hanger provides easier and more controlled trimming on wide areas. User work more efficiently by avoiding the exhaustion

Solid Extension Arm
Reinforced extension bar provides maximum protection against impacts



Strap Backpack
When the machine used with hanger, it provides easier and more controlled cutting on wide areas. User work more efficiently by avoiding the exhaustion.

Protective shield
Produced by unbreakable hard PVC prevents possible accidents and cuts off trimmer line left automatically.




Trimmer Saw




Trimmer Blade



Trimmer Blade



Trimmer Head



Power	52 CC / 1,6HP / 2,8 KW
Cutting Diameter	255 M
Usage	Shoulder Type
Shaft Type	Flat / 26 MM
Handle	Bicycle Type
Fuel Tank	1,2 L
Net Weight	9,9 KG
Pcs	1



RDX9635

Gasoline Grass Trimmer

52 CC  **2,0 Hp**




Everything is within reach
Fits perfectly in user's hands
because of its ergonomic structure.
Automatic shut down when the trigger
is released. Practical because of its
trigger lock system on longlasting
works. The engine could easily be
stopped with the on-off button on the
handle whenever required

2 Stroke Power Engine
2,0 HP high torque engine works with
maximum performance while
trimming grass, branch, turf etc.

Long lasting air filter system
It increases the lifetime
of the engine remarkably.

**Double
Hanging**



Easy On Technology,
Easy Operation

Adjustable Handlebars
Bicycle type handlebar used with
hanger provides easier and more
controlled trimming on wide areas.
User work more efficiently
by avoiding the exhaustion




Solid Extension Arm
Reinforced extension bar
provides maximum protection
against impacts



Strap Backpack
When the machine used with
hanger, it provides easier
and more controlled
cutting on wide areas.
User work more efficiently by
avoiding the exhaustion.

Protective shield
Produced by unbreakable
hard PVC prevents possible
accidents and cuts off trimmer
line left automatically.




Trimmer
Saw



Safety
Helmet



Trimmer
Blade



Trimmer
Head




Power	52 CC / 2,0 HP
Cutting Diameter	255 M
Usage	Shoulder Type
Shaft Type	Flat / 28 MM
Handle	Bicycle Type
Fuel Tank	1,2 L
Net Weight	7,86 KG
Pcs	1



RDX9636

Gasoline Grass Trimmer

52 CC  **1,9 Hp**



Spiral Steel Shaft
Special rubber-coated steel shaft, high temperature resistant, has high flexibility.


Easy On Technology, Easy Operation

Ergonomic Backpack Type
Ergonomic structure by its backpack-like design. Sits perfectly on the back of the user and does not tire user with hanger and belt system, you can carry your tools in its pack pockets

Full control in one hand
Fits perfectly in user's hands because of its ergonomic structure. Automatic shut down when the trigger is released. Practical because of its trigger lock system on longlasting works. The engine could easily be stopped with the on-off button on the handle whenever required

Adjustable Handlebars
Ergonomic handle provides a comfortable grip and always safe.


2 Stroke Power Engine
1.9 HP high torque engine works with maximum performance while trimming grass, branch, turf etc.

Solid Extension Arm
Reinforced extension bar provides maximum protection against impacts



Protective shield
Produced by unbreakable hard PVC prevents possible accidents and cuts off trimmer line left automatically.

Power	52 CC / 1,9 HP
Cutting Diameter	255 M
Usage	Backpack Type
Shaft Type	Flat / 26 MM
Handle	Pilot Type
Fuel Tank	1,2 L
Net Weight	11,6 KG
Pcs	1


Diamond Saw
Gift

Automatic cutting line head
provides trimmer line get long again when hit the ground



Grass Trimmer Line (Round)

Code	Features	Pcs
RDY512	1,2 MM x 15 M	180
RDY516	1,6 MM x 15 M	180
RDY518	2,4 MM x 15 M	120
RDY519	3,0 MM x 15 M	120
RDY520	2,0 MM x 126 M	20
RDY524	2,4 MM x 87M	20



Grass Trimmer Line (Round)

Code	Features	Pcs
RDY530	3,0 MM x 56 M	20
RDY533	3,3 MM x 46 M	20
RDY535	3,5 MM x 41 M	20
RDY539	4,0 MM x 32 M	20



Grass Trimmer Line (Hexagon)

Code	Features	Pcs
RDY418	2,4 MM x 15 M	120
RDY419	3,0 MM x 15 M	120
RDY424	2,4 MM x 87 M	20
RDY430	3,0 MM x 56 M	20
RDY433	3,3 MM x 46 M	20
RDY435	3,5 MM x 41M	20
RDY439	4,0 MM x 32M	20



Grass Trimmer Line (Twisted)

Code	Features	Pcs
RDY350	3,0 MM x 51 M	20
RDY353	3,3 MM x 46 M	20
RDY355	3,5 MM x 41 M	20
RDY359	4,0 MM x 32 M	20



Grass Trimmer Line (Tri Angle)

Code	Features	Pcs
RDY224	2,4 MM x 103 M	20
RDY230	3,0 MM x 67 M	20
RDY233	3,3 MM x 55 M	20
RDY235	3,5 MM x 48 M	20
RDY239	4,0 MM x 37 M	20



Grass Trimmer Line (Square)

Code	Features	Pcs
RDY330	3,0 MM x 51 M	20
RDY333	3,3 MM x 42 M	20



Grass Trimmer Line (Trefoil)

Code	Features	Pcs
RDY360	3,0 MM x 51 M	20
RDY363	3,3 MM x 46 M	20
RDY365	3,5 MM x 41 M	20
RDY369	4,0 MM x 32 M	20



Grass Trimmer Line (Saw Tooth)

Code	Features	Pcs
RDY340	3,0 MM x 56 M	20
RDY343	3,3 MM x 46 M	20



Grass Trimmer Line (Round)

Code	Features	Pcs
RDY540	3,0 MM x 1100 M	2
RDY543	3,3 MM x 900 M	2



Grass Trimmer Line (Hexagon)

Code	Features	Pcs
RDY440	3,0 MM x 1100 M	2
RDY443	3,3 MM x 900 M	2
RDY445	3,5 MM x 825 M	2
RDY449	4,0 MM x 643 M	2



Gear head

Code	Features	Pcs
RDY130	RDX9630	1
RDY132	RDX9636	1



Operating Handle (Complete)

Code	Features	Pcs
RDY136	RDX9630 - RDX9636	1



Paddy Reaper

Code	Features	Pcs
RDY151	250 MM x 430 M	5




Safety Helmet

Code	Features	Pcs
RDY019	Protective Wire	40



Gasoline Grass Trimmer Saw

Code	Features	Pcs
RDY118	Eight, 250 x 25,4 x 1,6 MM	25




Gasoline Grass Trimmer Saw

Code	Features	Pcs
RDY120	40 Teeth	50




Gasoline Grass Trimmer Saw

Code	Features	Pcs
RDY126	40 Teeth	50



Gasoline Grass Trimmer Saw

Code	Features	Pcs
RDY128	40 Teeth	50



Gasoline Grass Trimmer Blade

Code	Features	Pcs
RDY112	Two, 300 x 25,4 x 1,6 MM	70



Gasoline Grass Trimmer Blade

Code	Features	Pcs
RDY115	Two, 300 x 25,4 x 1,6 MM	70



Gasoline Grass Trimmer Blade

Code	Features	Pcs
RDY113	Three, 250 x 25,4 x 1,6 MM	25



Gasoline Grass Trimmer Blade

Code	Features	Pcs
RDY117	Three, 300 x 25,4 x 1,6 MM	50



Grass Trimmer Head


Code	Features	Pcs
RDY142	Automatic, Female Type	30



Grass Trimmer Head

Code	Features	Pcs
RDY143	Automatic, Female Type	32

For more information about
products can visit our website.



www.rodexpower.com



AKDEMİR GLOBAL DIŐ TİCARET A.Ő.

🏠 Mahmutbey Mah. İstoç Ticaret Merkezi 2416. Sok.
AKTEM PLAZA Kat 12-13 Baęcılar - İstanbul / TÜRKİYE

☎ 0212 771 04 66 📠 0212 659 09 41

🌐 akdemirglobal.com 📧 info@akdemirglobal.com

🌐 [facebook](https://www.facebook.com/akdemirglobal) [instagram](https://www.instagram.com/akdemirglobal) [linkedin](https://www.linkedin.com/company/akdemirglobal) [twitter](https://www.twitter.com/akdemirglobal) [youtube](https://www.youtube.com/channel/UC...) akdemirglobal

